



# **Envirocheck® Report:**

#### **Datasheet**

#### **Order Details:**

**Order Number:** 

218629364\_1\_1

**Customer Reference:** 

60559231/Teesside Clean Gas

**National Grid Reference:** 

454790, 524180

Slice:

Н

Site Area (Ha):

1304.99

Search Buffer (m):

250

#### **Site Details:**

Teesside Clean Gas Project 1 of 2

#### **Client Details:**

Mr R Addison AECOM Ltd 1st Floor, One Trinty Gardens Broad Chare Newcastle Upon Tyne NE1 2HF





Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	12
Hazardous Substances	15
Geological	16
Industrial Land Use	20
Sensitive Land Use	21
Data Currency	22
Data Suppliers	27
Useful Contacts	28

#### Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

#### Copyright Notice

© Landmark Information Group Limited 2019. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wale's and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2019. © Natural Resources Wales & United Kingdom Research and Innovation 2019.

#### **Natural England Copyright Notice**

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

#### Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

#### Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

#### Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

#### Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

#### Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2019. Land & Property Services © Crown copyright and database right.





Report Version v53.0





Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 2	9	11
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls	pg 7	1	
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature		Yes	
Pollution Incidents to Controlled Waters	pg 7		1
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality			
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points			
Substantiated Pollution Incident Register			
Water Abstractions	pg 7	4	
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 8	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 10	Yes	n/a
Superficial Aquifer Designations	pg 10	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 10	Yes	
Flooding from Rivers or Sea without Defences	pg 10	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 10	4	





Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites	pg 12	2	1
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)	pg 12	1	
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 12	2	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)	pg 12	4	
Registered Landfill Sites	pg 13	2	
Registered Waste Transfer Sites	pg 14	1	
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)	pg 15	1	
Explosive Sites	pg 15	1	1
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			





Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 16	Yes	n/a
BGS Estimated Soil Chemistry	pg 16	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability	pg 16	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 16	Yes	Yes
Potential for Compressible Ground Stability Hazards	pg 17	Yes	Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 18	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 18	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 19	Yes	Yes
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 20		2
Fuel Station Entries			
Points of Interest - Commercial Services	pg 20	1	
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 20		1
Points of Interest - Public Infrastructure	pg 20	1	
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



### **Summary**

Data Type	Pa Nun	ge nber	On Site	0 to 250m (*up to 500m)
Sensitive Land Use				
Ancient Woodland				
Areas of Adopted Green Belt				
Areas of Unadopted Green Belt				
Areas of Outstanding Natural Beauty				
Environmentally Sensitive Areas				
Forest Parks				
Local Nature Reserves				
Marine Nature Reserves				
National Nature Reserves				
National Parks				
Nitrate Sensitive Areas				
Nitrate Vulnerable Zones				
Ramsar Sites				
Sites of Special Scientific Interest	pg 2	21	1	
Special Areas of Conservation				
Special Protection Areas				
World Heritage Sites				



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(W)	0	1	454300 524350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	l (NW)	0	1	454400 524800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(W)	0	1	454050 524400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(SW)	0	1	453850 523750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve		0	1	454850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(E) I (S)	0	1	524185 454400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H5SE	0	1	522950 454793
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	0	1	524185 455000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(NE)	0	1	524600 454250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	I (SW)	0	1	523250 453850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	12	1	523650 454350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	l (NW)	15	1	522700 453800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve		20	1	525150 455000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E) H5NE	30	1	524185 455000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve		50	1	524450 455000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(NE)	56	1	524350 454300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve		69	1	522650 455000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E) (S)	106	1	524200 454300 523600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(SW)	132	1	522600 453950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Leve	(S)	132	1	522750 454200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	159	1	522600 454250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H9NE (N)	175	1	522550 454793 525000



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	194	1	454400 525000
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding to Occur at Surface	H9NE (N)	204	1	455000 525000
	<b>BGS Groundwater</b> Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	(S)	208	1	454250 522500
	BGS Groundwater Flooding Type:	Flooding Susceptibility Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	214	1	454793 522700
	BGS Groundwater Flooding Type:	Flooding Susceptibility Limited Potential for Groundwater Flooding to Occur	(S)	221	1	454200 522500
	BGS Groundwater Flooding Type:	Flooding Susceptibility  Potential for Groundwater Flooding of Property Situated Below Ground Level	H1SE (S)	228	1	454950 523300
1	Discharge Consent Operator: Property Type: Location:  Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Cleveland Potash Limited WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Cleveland Potash Limited Tees Dock Terminal, Tees Dock, Grangetown, Middlesbrough, Ts6 6ud Environment Agency, North East Region Tees (Lower); Leven; Tame 25/04/1654 1 30th October 2001 30th October 2001 Not Supplied Trade Discharge - Process Water Freshwater Stream/River  Tees Dock - Saline Estuary New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	H1SW (S)	0	2	454740 523470
1	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Cleveland Potash Limited WATER TRANSPORT/SEA + INLAND Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Tees (Lower); Leven; Tame 254/1271 1 5th October 1993 19th November 1993 30th October 2001 Trade Effluent Saline Estuary Tees Estuary Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)	H1SW (S)	0	2	454700 523500
	Positional Accuracy:  Discharge Consent	Located by supplier to within 100m				
1	Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Cleveland Potash Limited WATER TRANSPORT/SEA + INLAND Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Tees (Lower); Leven; Tame 254/1271 1 5th October 1993 19th November 1993 30th October 2001 Sewage And Trade Combined - Unspecified Saline Estuary Tees Estuary Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 100m	H1SW (S)	0	2	454700 523500



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type:	Cleveland Potash Limited Sea Transport Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Not Given 254/1271 4 5th October 1993 19th November 1993 29th October 2001 Trade Effluent	H1SW (S)	0	2	454700 523500
	Discharge Environment: Receiving Water: Status: Positional Accuracy:	Freshwater Estuary  Tees Estuary  New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)  Located by supplier to within 10m				
1	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Cleveland Potash Limited WATER TRANSPORT/SEA + INLAND Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Tees (Lower); Leven; Tame 254/1271 1 5th October 1993 19th November 1993 30th October 2001 Sewage Discharges - Final/Treated Effluent - Not Water Company Saline Estuary Tees Estuary Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 100m	H1SW (S)	0	2	454700 523500
1	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Cleveland Potash Limited Sea Transport Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Not Given 254/1271 2 5th October 1993 19th November 1993 Not Supplied Miscellaneous Discharges - Mine / Groundwater As Raised Freshwater Estuary  Tees Estuary  New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	H1SW (S)	0	2	454700 523500
1	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Cleveland Potash Limited Sea Transport Cleveland Potash Tees Dock Terminal, Teesport Environment Agency, North East Region Not Given 254/1271 3 5th October 1993 19th November 1993 Not Supplied Miscellaneous Discharges - Mine / Groundwater As Raised Freshwater Estuary  Tees Estuary  New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	H1SW (S)	0	2	454700 523500



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Phillips Petroleum Co Uk Ltd WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Fine Organics Ltd, Middlesbrough Environment Agency, North East Region Tees (Lower); Leven; Tame 254/0231 1 13th December 1985 13th December 1985 6th August 2004 Sewage Discharges - Final/Treated Effluent - Not Water Company Freshwater Stream/River  Tees Authorisation revoked Located by supplier to within 100m	H5NW (NW)	0	2	454450 524500
3	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Bell Lines Ltd WATER TRANSPORT/SEA + INLAND Container Berth At Tees Dock, Grangetown Environment Agency, North East Region Tees (Lower); Leven; Tame 254/B/0140 1 6th November 1970 6th November 1970 1st July 1991 Trade Discharges - Abandoned Freshwater Stream/River  Tees Consent revoked: Discharge ceased (Water Resources Act 1991, Schedule 10 & 6) Located by supplier to within 100m	H5SW (SW)	0	2	454600 524000
4	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	The Estate Manager I C I Limited WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Tees Dock Potash Terminal, Middlesbrough Environment Agency, North East Region Tees (Lower); Leven; Tame 254/B/0153a 1 23rd March 1972 23rd March 1972 12th August 1993 Sewage Discharges - Unspecified - Not Water Company Freshwater Stream/River Tidal Waters Of Tees Authorisation revoked Located by supplier to within 100m	H1SW (S)	3	2	454700 523200
4	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Type: Discharge Type: Status: Positional Accuracy:	Tees & Hartlepool Port Authority Sewage Disposal Works - Other Tees Dock Potash Terminal, Middlesbrough Environment Agency, North East Region Not Given 254/B/0153 3 8th October 1993 23rd March 1972 Not Supplied Unspecified Freshwater Stream/River  Tees Transferred from Rivers (Prevention of Pollution) Act 1951-1961 Located by supplier to within 100m	H1SW (S)	3	2	454700 523200



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	The Estate Manager I C I Limited WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) Tees Dock Potash Terminal, Middlesbrough Environment Agency, North East Region Tees (Lower); Leven; Tame 254/B/0153a 1 23rd March 1972 23rd March 1972 12th August 1993 Trade Discharge - Process Water Freshwater Stream/River  Tidal Waters Of Tees Authorisation revoked Located by supplier to within 100m	H1SW (S)	3	2	454700 523200
4	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Tees & Hartlepool Port Authority Sewage Disposal Works - Other Tees Dock Potash Terminal, Middlesbrough Environment Agency, North East Region Not Supplied 254/B/0153 2 6th October 1993 23rd July 1971 7th October 1993 Sewage Discharges - Final/Treated Effluent - Water Company Freshwater Stream/River  Tees Transferred from Rivers (Prevention of Pollution) Act 1951-1961 Located by supplier to within 10m	H1SW (S)	3	2	454700 523200
5	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Fairclough Civil Engineering Ltd GROUNDWATER REMEDIATION SITES/CIVIL ENGINEERING Amoco-Cats Project, Tees Tunnel, Ic, Middlesbrough Environment Agency, North East Region Tees (Lower); Leven; Tame 254/1106 1 18th October 1991 18th October 1991 30th September 1992 Miscellaneous Discharges - Mine / Groundwater As Raised Saline Estuary  Tees (Saline) Authorisation revoked Located by supplier to within 10m	H9SE (N)	54	2	454950 524850
6	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	D.T.B.A. Limited Basic Industry, Chemicals Inorganic Seal Sands, MIDDLESBROUGH, Cleveland Environment Agency, North East Region Tees (Lower) AL1482 Not Supplied Not Supplied 23rd March 1994 Not Supplied Trade Effluent Discharge-Treated Effluent Freshwater Stream/River  Tees Not Supplied Located by supplier to within 100m	H9NW (N)	93	2	454505 524895



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Discharge Consent	s				
6	Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Dtba Limited MAKING OF BASIC PHARMACEUTICAL PRODUCTS + PREPS Dtba Ltd - Seal Sands Site, Seal Sands, Middlesbrough, Cleveland Environment Agency, North East Region Tees (Lower); Leven; Tame 254/1156 1 2nd December 1992 2nd December 1992 2rd June 1994 Trade Discharge - Process Water Saline Estuary  Tees Estuary  Authorisation revoked Located by supplier to within 10m	H9NW (N)	98	2	454500 524900
	Discharge Consent	s				
6	-	Phillips Petroleum Co Uk Ltd MAKING OF BASIC PHARMACEUTICAL PRODUCTS + PREPS Dtba Ltd - Seal Sands Site, Seal Sands, Middlesbrough, Cleveland Environment Agency, North East Region Tees (Lower); Leven; Tame 254/0459 1 30th March 1988 30th March 1988 25th May 1994 Trade Effluent Freshwater Stream/River  Tees Authorisation revoked Located by supplier to within 100m	H9NW (N)	98	2	454500 524900
	Discharge Consent	S				
7	Operator: Property Type: Location:  Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Tees & Hartlepool Port Authority WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) The Amenity Block The Riverside Roro Terminal, Boulby Road, Teesport, Middlesbrough Environment Agency, North East Region Tees (Middle) Qc.25/04/1579 2 26th July 2012 26th July 2012 Not Supplied Sewage Discharges - Final/Treated Effluent - Not Water Company Land/Soakaway  Land In The Tees Catchment New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 10m	H5NE (NE)	146	2	455070 524310
	Discharge Consent	s				
7	Operator: Property Type: Location:  Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Tees & Hartlepool Port Authority WWTW (NOT WATER CO) (NOT STP AT A PRIVATE PREMISES) The Amenity Block The Riverside Roro Terminal, Boulby Road, Teesport, Middlesbrough Environment Agency, North East Region Tees (Middle) QC.25/04/1579 1 28th April 1999 28th April 1999 28th April 1999 25th July 2012 Sewage Discharges - Final/Treated Effluent - Not Water Company Land/Soakaway  Land In The Tees Catchment New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Located by supplier to within 100m	H5NE (NE)	146	2	455070 524310



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consent Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	Enron Teeside Operations Limited MAKING OF CHEMICALS + CHEMICAL PRODUCTS Imperial Chemical Industries Ltd, Wilton Works, Middlesbrough Environment Agency, North East Region Tees (Lower); Leven; Tame 254/A/0460 1 18th November 1976 18th November 1976 5th October 1990 Unspecified Ditch  Mains Dike Authorisation revoked Located by supplier to within 10m	H6NW (NE)	236	2	455200 524500
9	Name: Location: Authority: Permit Reference: Dated: Process Type: Description: Status:	lution Prevention and Controls  Cat Uk Services Ltd Vehicle Compound, Teesport, MIDDLESBOROUGH, Cleveland, TS6 6UD Redcar and Cleveland Borough Council, Environmental Health Department Cat-402 1st December 1998 Local Authority Air Pollution Control PG6/34 Respraying of road vehicles Authorised Manually positioned within the geographical locality	H1SW (S)	0	3	454569 523236
	Nearest Surface Wa	ater Feature	(W)	0	-	454422 524326
10	Property Type: Location: Authority: Pollutant: Note: Incident Date: Incident Reference: Catchment Area: Receiving Water: Cause of Incident: Incident Severity:	to Controlled Waters  Chemical industry Tees Estuary, SEALAND Environment Agency, North East Region Other Chemicals Pollution Found; No Fish Killed 30th October 1996 DD960329 Tees Downstream Skerne To North Sea Saline Estuary Unknown Category 3 - Minor Incident Located by supplier to within 100m	H9NW (N)	199	2	454501 525001
11	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Cleveland Potash Ltd	H1NW (S)	0	2	454660 523558
12	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Tees Bulk Handling Ltd 1/25/04/123 100 River Tees - Tidal Environment Agency, North East Region Other Industrial/Commercial/Public Services: Dust Suppression Water may be abstracted from a single point Tidal Not Supplied Not Supplied Land At Tees Dock Potash Terminal 01 January 31 December 31st July 1974 Not Supplied Located by supplier to within 10m	H1SW (S)	0	2	454600 523500



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date:	Tees Bulk Handling Limited 1/25/04/123 Not Supplied River Tees Pump Environment Agency, North East Region General Industrial Not Supplied Surface 773 77270 Not Supplied	H1SW (S)	0	2	454600 523500
	Positional Accuracy:	Located by supplier to within 100m				
12	Water Abstractions Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	Tees Bulk Handling 01/25/4/123 Not Supplied Tees Dock Environment Agency, North East Region General Industrial Not Supplied Groundwater 773 77282 Licence Status:Revoked; Lapsed Or Cancelled Not Supplied Located by supplier to within 100m	H1SW (S)	0	2	454600 523495
	Groundwater Vulne Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	rability Map Secondary Superficial Aquifer - High Vulnerability High Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures <300 mm/year >70% >90% >10m No Data	(W)	0	4	454000 524185
	Groundwater Vulne Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	rability Map Secondary Superficial Aquifer - High Vulnerability  High  Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures <300 mm/year >70% >90%  >10m  No Data	H5SE (NE)	0	4	454793 524185



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Superficial Aquifer - High Vulnerability	(SW)	0	4	454000
	Classification: Combined	High				523000
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year >70% >90%				
	Patchiness: Superficial	>90% >10m				
	Thickness: Superficial Recharge:	High				
	-					
	Groundwater Vulne		(0)		_	45.7500
	Combined Classification: Combined	Secondary Superficial Aquifer - High Vulnerability High	(S)	0	4	454793 523000
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	High Well Connected Fractures				
	Baseflow Index: Superficial	<300 mm/year >70% >90%				
	Patchiness: Superficial Thickness:	>10m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(W)	0	4	454000 524000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year >70% >90%				
	Patchiness: Superficial	>10m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	H5SE (S)	0	4	454793 524000
	Combined Vulnerability:	High	(-)			
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index:	<300 mm/year >70%				
	Superficial Patchiness: Superficial	>90% 3-10m				
	Thickness: Superficial	No Data				
	Recharge:					



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	rability Map				
	Combined	Secondary Bedrock Aquifer - Medium Vulnerability	H5NE	0	4	454887
	Classification: Combined	Medium	(N)	-		524449
	Vulnerability: Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, No Superficial Aquifer High				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% >90%				
	Superficial Thickness:	>10m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Bedrock Aquifer - Medium Vulnerability	H9SE (NE)	0	4	455000 524536
	Combined Vulnerability: Combined Aquifer:	Medium  Productive Bedrock Aquifer, No Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	High Well Connected Fractures				
	Dilution: Baseflow Index:	No Data No Data				
	Superficial	>90%				
	Patchiness: Superficial Thickness:	3-10m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability - Soluble Rock Risk				
	None	Tablity Colubic Rook Risk				
	Bedrock Aquifer De	esignations				
	Aquifer Designation:	Secondary Aquifer - B	H5SE (NE)	0	4	454793 524185
	Bedrock Aquifer De	esignations				
	Aquifer Designation:	Secondary Aquifer - B	H5SE (E)	0	4	455000 524185
	Superficial Aquifer	Designations				
	Aquifer Designation:	Secondary Aquifer - Undifferentiated	H5SE (NE)	0	4	454793 524185
	_	rom Rivers or Sea without Defences				
	Type: Flood Plain Type: Boundary Accuracy:	Extent of Extreme Flooding from Rivers or Sea without Defences Tidal Models As Supplied	H5SE (NE)	0	2	454793 524185
		rs or Sea without Defences				
	Type: Flood Plain Type:	Extent of Flooding from Rivers or Sea without Defences Tidal Models	H5SE (NE)	0	2	454793 524185
	Boundary Accuracy:  Areas Benefiting from	• • • • • • • • • • • • • • • • • • • •				
	None					
	Flood Water Storag	e Areas				
	Flood Defences					
	None					
	OS Water Network	Lines				
13	Watercourse Form: Watercourse Length Watercourse Level: Permanent: Watercourse Name:	: 1705.1 On ground surface True	H9SW (N)	0	5	454743 524757
	Catchment Name: Primacy:	Tees 1				



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	OS Water Network Lines  Watercourse Form: Tidal river Watercourse Length: 1581.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Tees Catchment Name: Tees Primacy: 1	H5NW (W)	0	5	454619 524246
15	OS Water Network Lines  Watercourse Form: Tidal river Watercourse Length: 199.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dabholm Cut Catchment Name: Tees Primacy: 1	H9SE (N)	0	5	454902 524734
16	OS Water Network Lines  Watercourse Form: Tidal river Watercourse Length: 1892.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dabholm Cut Catchment Name: Tees Primacy: 1	H9SE (NE)	0	5	455028 524671





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Historical Landfill S	ites				
17	Licence Holder: Location: Name: Operator Location: Boundary Accuracy: Provider Reference: First Input Date: Last Input Date: Specified Waste Type: EA Waste Ref: Regis Ref: WRC Ref: BGS Ref: Other Ref:		H5SW (S)	0	2	454706 523946
	Historical Landfill S	ites				
18	Licence Holder: Location: Name: Operator Location: Boundary Accuracy: Provider Reference: First Input Date: Last Input Date: Last Input Date: Specified Waste Type: EA Waste Ref: Regis Ref: WRC Ref: BGS Ref: Other Ref:		H5SE (S)	0	2	454793 524096
	Historical Landfill S	iites				
19	Licence Holder: Location: Name: Operator Location: Boundary Accuracy: Provider Reference: First Input Date: Last Input Date: Specified Waste Type: EA Waste Ref:	Shell (UK) Limited Sludge Farm Teesport Refinery, Redcar, Cleveland Bells Containers Not Supplied As Supplied EAHLD05579 Not Supplied 1st September 1987 Deposited Waste included Liquid Sludge	H5SE (E)	206	2	455105 524180
	Regis Ref: WRC Ref:	Not Supplied				
	BGS Ref: Other Ref:	Not Supplied Not Supplied 0700/CLE/102				
20	Name: Licence Number: Location: Licence Holder: Authority: Site Category: Max Input Rate: Licence Status: Issued:	nagement Facilities (Landfill Boundaries)  Bran Sands Landfill 60092  Land/ Premises At, Bran Sands, Redcar, Cleveland, TS6 6UE York Potash Processing & Ports Limited Environment Agency - North East Region, North East Area Other Landfill Sites Taking Special Waste Not Supplied  Modified 24th May 1977 Positioned by the supplier As Supplied	H9SE (NE)	0	2	455084 524705
	Local Authority Lan Name:	dfill Coverage Stockton On Tees Unitary Council - Has supplied landfill data		0	6	454535 524302
	Local Authority Lan Name:	dfill Coverage  Redcar and Cleveland Unitary Council  - Has no landfill data to supply		0	7	454813 524172
21	Potentially Infilled L Use: Date of Mapping:	Land (Water) Unknown Filled Ground (Pond, marsh, river, stream, dock etc) 1954	(W)	0	-	454343 524303
22	Potentially Infilled L Use: Date of Mapping:	Land (Water) Unknown Filled Ground (Pond, marsh, river, stream, dock etc) 1953	H5SE (S)	0	-	454801 524130
23	Potentially Infilled L Use: Date of Mapping:	Land (Water) Unknown Filled Ground (Pond, marsh, river, stream, dock etc) 1953	(SW)	0	-	454343 523589





Description	ıp )		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
Registered Landrill Sites  Registered Landrill Sites  1. C.I. Chemicals & Polymers Ltd Licence Releference: CLE 24/9  Site Location: Bran Sands Waste Disposal Site, Wilton Works, Middlesbrough, Cleveland Not Supplied Licence Dasting: Not Supplied Operator Location: PO. Box 90, Wilton, MIDDLESBROUGH, Cleveland, TS6 8JE Environment Agency - North East Region, Dales Area Landrill Max Input Rate: Waste Source Restrictions: Status: Operational as far as is knownOperational Dated: 1st July 1988 Preceded By CLE 24/2 Licence: Superseded By Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Moderate Authorised Waste All Inorganic Compounds Asbestos Contaminated Materials & Fuels, Oils, Greases Ind. Non-Haz. Inert, Non-Flammable Ind. Non-Haz. Potentially Combustible Interceptor Waste, Tar, Paint Etc \$ Maximum Waste Specified In Lic. Metal Oxides Metals & Trace Contam. Of Group J Miscellaneous Wastes Non-Toxic Metal Compounds Organic Acids + Related Cmpds Organic Compounds Organic Compounds Organic Compounds Organic Compounds Organic Compounds Organic Compounds Organic Acids + Related Cmpds Organic Compounds Organic Acids + Related Cmpds Organic Compounds Organic Compounds Organic Acids + Related Cmpds Organic Provides Fullos And Precursors Toxic Metal Compounds Organic Compounds Organic Compounds Organic Acids + Related Cmpds Organic Compounds Organic Compounds Organic Compounds Organic Provides Fullowages Waste Ferro And Ferri Cyanides Fillondages Waste Ferro Analogues Other Halogenated Organics Pobles And Analogues		Potentially Infilled I	and (Water)				
Licence Holder: Licence Reference: Site Location: Licence Easting: Licence Northing: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Status: Dated: Dated: Licence: Superseded By Licence: Superseded By Licence: Positional Accuracy: Authoritsed Waste Construction Ind. Wastes Contaminated Materials All Non-Haz. Potentially Combustible Ind. Non-Haz. Potentially Combustible Inderceptor Wastes Metal Compounds Organic Acous Chamber of Group J Miscellaneous Wastes Non-Toxic Metal Compounds Organic Acous Chemical Waste Non-Toxic Metal Compounds Organic Andreixal Arraces Prohibited Waste Prohibited Proxides Under Prox	1				0	-	454817 524178
Licence Reference: Site Location: Licence Easting: Licence Easting: Licence Easting: Deparator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Status: Dated: 1		Registered Landfill	Sites				
Sodium/Potassium Cyanides Soluble Complex Cyanides Sulphides, Selen'S, Tell'S, Arsen'S \$ Tannery Waste Tetra Ethyl Lead Tetra Methyl Lead Waste N.O.S.	5	Licence Holder: Licence Reference: Site Location: Licence Easting: Licence Northing: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Status: Dated: Preceded By Licence: Superseded By Licence: Positional Accuracy: Boundary Accuracy: Authorised Waste	I.C.I. Chemicals & Polymers Ltd CLE 24/9 Bran Sands Waste Disposal Site, Wilton Works, Middlesbrough, Cleveland Not Supplied Not Supplied PO.Box 90, Wilton, MIDDLESBROUGH, Cleveland, TS6 8JE Environment Agency - North East Region, Dales Area Landfill Small (Equal to or greater than 10,000 and less than 25,000 tonnes per year) Waste produced/controlled by licence holder Operational as far as is knownOperational 1st July 1988 CLE 24/2 Not Given Positioned by the supplier Moderate Alkalis All Inorganic Compounds Asbestos Canteen Waste Commercial Waste Construction Ind. Wastes Construction Ind. Wastes Contaminated Materials \$ Fuels, Oils, Greases Ind. Non-Haz. Inert, Non-Flammable Ind. Non-Haz. Potentially Combustible Interceptor Waste, Tar, Paint Etc \$ Maximum Waste Specified In Lic. Metal Oxides Metals As Trace Contam.Of Group J Miscellaneous Chemical Waste Miscellaneous Chemical Waste Miscellaneous Chemical Waste Miscellaneous Chemical Force of the Compounds Organic Acids + Related Cmpds Organic Compounds Other Inorganic Materials Polymeric Materials And Precursors Toxic Metal Compounds Other Inorganic Materials Polymeric Materials And Precursors Toxic Metal Compounds Arsenates & Arsenites Fellmongers Waste Ferro And Ferri Cyanides Fluorides Etc \$ Hypochlorites And Chlorites Inorganic Peroxides Liable To Cause Environmental Hazards Organic Peroxides Other Halogenated Organics Pcb'S And Analogues Sodium/Potassium Cyanides Solubides Complex Cyanides		0	2	455076 524687





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Registered Landfill	Sites				
26	Licence Holder: Licence Reference: Site Location: Licence Easting: Licence Northing: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Status: Dated: Preceded By Licence: Superseded By Licence:	Tees & Hartlepool Port Authority CLE 28/2 Bell Lane Container Terminal, Teesport, Middlesbrough, Cleveland 454700 523900 Erimus House, Queens Square, Middlesbrough, Cleveland, Ts2 1aa Environment Agency - North East Region, Dales Area Landfill Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) No known restriction on source of waste  Licence known to be surrenderedSurrendered 20th October 1978 Not Given  Manually positioned to the address or location Not Applicable Construction And Demolition Wastes	H5SW (S)	0	2	454700 523900
		Road Sweepings/Litter Slag, Boiler/Flue Cleanings				
	B	<u> </u>				
27	Registered Waste T Licence Holder: Licence Reference: Site Location: Operator Location: Authority: Site Category: Max Input Rate: Waste Source Restrictions: Licence Status: Dated: Preceded By Licence: Superseded By Licence: Positional Accuracy: Boundary Quality: Authorised Waste	Bell Lines Ltd	H5SE (S)	0	2	454800 524000



#### **Hazardous Substances**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Control of Major Ac	cident Hazards Sites (COMAH)				
28	Name: Location: Reference: Type: Status: Positional Accuracy:	Seal Sands Gas Transportation Limited (Ssgtl) Teeside Gas Port, Jetty 10, Dabholme Road, Teesport,Middlesbrough, Cleveland, 6UD Not Supplied Upper Tier Active Manually positioned to the address or location	H5NE (N)	0	8	454800 524250
	Explosive Sites					
29	Name: Location: Status: Positional Accuracy:	Tees & Hartlepool Port Authority Harbour Master's Office, Teesport Container Terminal, Grangetown, MIDDLESBOROUGH, Cleveland Not Active Manually positioned to the address or location	H5SW (S)	0	8	454775 523971
	Explosive Sites					
30	Name: Location: Status: Positional Accuracy:	Tees Dock/Tees & Hartlepool Port Authority Ltd Tees Dock, Grangetown, Middlesbrough, Cleve, Ts6 6ud Active Manually positioned within the geographical locality	H1SE (S)	69	8	454806 523390





Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid	d Geology				
	Description:	Triassic Rocks (Undifferentiated)	H5NW (NW)	0	1	454588 524309
	BGS Estimated Soil	Chemistry	(::::)			
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg <100 mg/kg 15 - 30 mg/kg	H5SE (NE)	0	1	454793 524185
	Concentration:					
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	H5SW (SW)	0	1	454500 524000
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment 15 - 25 mg/kg <1.8 mg/kg 60 - 90 mg/kg <100 mg/kg 15 - 30 mg/kg	H10SW (NE)	165	1	455229 524543
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg 100 - 200 mg/kg 15 - 30 mg/kg	H9NW (N)	174	1	454500 525000
	BGS Measured Urba	an Soil Chemistry				
	No data available					
	BGS Urban Soil Che	emistry Averages				
	No data available					
	Coal Mining Affecte In an area that might	d Areas not be affected by coal mining				
	Mining Instability Mining Evidence: Source: Boundary Quality:	Inconclusive Evaporites Mining Ove Arup & Partners As Supplied	H5SW (W)	0	-	454500 524185
	Non Coal Mining Ar	eas of Great Britain				
		sible Ground Stability Hazarda				
	Hazard Potential: Source:	sible Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H5NE (N)	0	1	454887 524449
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H9SE (NE)	0	1	455000 524536





lap ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards			,	
	Hazard Potential: No Hazard Source: No Hazard Survey, National Geoscience Information Service	H5SE (NE)	0	1	454793 524185
	Potential for Collapsible Ground Stability Hazards				
	Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H9NE (N)	15	1	454793 525000
	Potential for Collapsible Ground Stability Hazards	(14)			323000
	Hazard Potential: No Hazard	H5SE	27	1	455000
	Source: British Geological Survey, National Geoscience Information Service	(E)			52418
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low	H6NW	181	1	45512
	Source: British Geological Survey, National Geoscience Information Service	(NE)		·	52434
	Potential for Collapsible Ground Stability Hazards				
	Hazard Potential: No Hazard Source: No Hazard British Geological Survey, National Geoscience Information Service	H9NE (N)	204	1	45500 52500
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H5SE	0	1	45500 52418
	Potential for Compressible Ground Stability Hazards	(E)			52418
	Hazard Potential: Very Low	H9SE	0	1	45500
	Source: British Geological Survey, National Geoscience Information Service	(N)			52473
	Potential for Compressible Ground Stability Hazards	H5SE	0	4	45 404
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(E)	U	1	45481 52417
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(SW)	0	1	45435 52360
	Potential for Compressible Ground Stability Hazards				02000
	Hazard Potential: No Hazard	H9SE	0	1	45500
	Source: British Geological Survey, National Geoscience Information Service	(N)			52468
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard	H9SE	0	1	45506
	Source: British Geological Survey, National Geoscience Information Service	(NE)	Ü	•	52465
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	(NW)	0	1	45443 52433
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	H5SE	0	1	45479
	Source: British Geological Survey, National Geoscience Information Service  Potential for Compressible Ground Stability Hazards	(NE)			52418
	Hazard Potential: Very Low	H9NW	15	1	45447
	Source: British Geological Survey, National Geoscience Information Service	(N)			52500
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate	H9SE	75	1	45506
	Source: British Geological Survey, National Geoscience Information Service	(NE)	7.5		52464
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H9NW (N)	178	1	45446 52498
	Potential for Compressible Ground Stability Hazards	V-7			
	Hazard Potential: Moderate	H9NE	198	1	45479
	Source: British Geological Survey, National Geoscience Information Service	(N)			52500
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard	H10SW	200	1	45518
	Source: British Geological Survey, National Geoscience Information Service	(NE)			52458
	Potential for Compressible Ground Stability Hazards	HOME	000	,	45.400
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H9NE (N)	203	1	45492 52500
	Potential for Compressible Ground Stability Hazards				
	Hazard Potential: Very Low Source: Rritish Geological Survey, National Geoscience Information Service	H9NE	204	1	45500 52500
	Source: British Geological Survey, National Geoscience Information Service  Potential for Ground Dissolution Stability Hazards	(N)			5∠500
	Hazard Potential: No Hazard	H5SE	0	1	45479
	Source: British Geological Survey, National Geoscience Information Service	(NE)			52418





lap ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Ground Dissolution Stability Hazards			4	
	Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H5SE (E)	0	1	455000 524185
	Potential for Ground Dissolution Stability Hazards				
	Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H9NE (N)	15	1	454793 525000
	Potential for Ground Dissolution Stability Hazards	(14)			323000
	Hazard Potential: No Hazard	H9NE	204	1	455000
	Source: British Geological Survey, National Geoscience Information Service	(N)			525000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low	H5SE	0	1	454793
	Source: British Geological Survey, National Geoscience Information Service	(NE)	-	· 	524185
	Potential for Landslide Ground Stability Hazards		_		
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H5SE (E)	0	1	455000 524185
	Potential for Landslide Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H9NE (N)	15	1	454793 525000
	Potential for Landslide Ground Stability Hazards	(14)			323000
	Hazard Potential: Very Low	H9NE	204	1	455000
	Source: British Geological Survey, National Geoscience Information Service	(N)			525000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard	H9SE	0	1	455000
	Source: British Geological Survey, National Geoscience Information Service	(N)		'	524686
	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H9SE (NE)	0	1	45506 52465
	Potential for Running Sand Ground Stability Hazards	(:)			02.00
	Hazard Potential: Very Low	(NW)	0	1	45443
	Source: British Geological Survey, National Geoscience Information Service				52433
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low	H5SE	0	1	455000
	Source: British Geological Survey, National Geoscience Information Service	(E)	Ů		52418
	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H9SE (N)	0	1	45500 52473
	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H5SE	0	1	45481
	Potential for Running Sand Ground Stability Hazards	(E)			524170
	Hazard Potential: Very Low	(SW)	0	1	45435
	Source: British Geological Survey, National Geoscience Information Service				52360
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate	H5SE	0	1	454793
	Source: British Geological Survey, National Geoscience Information Service	(NE)			52418
	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H9NW (N)	15	1	45447 52500
	Potential for Running Sand Ground Stability Hazards	(-7)			
	Hazard Potential: Moderate	H9SE	75	1	45506
	Source: British Geological Survey, National Geoscience Information Service	(NE)			52464
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low	H9NW	178	1	45446
	Source: British Geological Survey, National Geoscience Information Service	(N)		-	524980
	Potential for Running Sand Ground Stability Hazards				4=
	Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	H9NE (N)	198	1	45479: 52500
	Potential for Running Sand Ground Stability Hazards				
	Hazard Potential: No Hazard  Source: Rritish Geological Survey, National Geosciopes Information Sources	H10SW	200	1	45518
	Source: British Geological Survey, National Geoscience Information Service  Potential for Punning Sand Ground Stability Hazards	(NE)			524580
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low	H9NE	203	1	45492
	Source: British Geological Survey, National Geoscience Information Service	(N)			52500



# Geological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Runnir	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	H9NE (N)	204	1	455000 525000
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H9SE (NE)	0	1	455000 524673
		ing or Swelling Clay Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H5SE (NE)	0	1	454793 524185
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  No Hazard  British Geological Survey, National Geoscience Information Service	H9SE (N)	0	1	454976 524716
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H5NE (NE)	0	1	454964 524519
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H9SE (NE)	0	1	455000 524536
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H9NE (N)	15	1	454793 525000
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H5SE (E)	27	1	455000 524185
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  Low  British Geological Survey, National Geoscience Information Service	H10SW (NE)	178	1	455198 524600
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  No Hazard  British Geological Survey, National Geoscience Information Service	H6NW (NE)	181	1	455125 524341
	Potential for Shrink Hazard Potential: Source:	ing or Swelling Clay Ground Stability Hazards  Very Low  British Geological Survey, National Geoscience Information Service	H9NE (N)	204	1	455000 525000
	Radon Potential - R Affected Area: Source:	adon Affected Areas  The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	H5SE (NE)	0	1	454793 524185
	Radon Potential - R Affected Area: Source:	adon Affected Areas  The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).  British Geological Survey, National Geoscience Information Service	H5SE (E)	0	1	455000 524185
		adon Protection Measures  No radon protective measures are necessary in the construction of new dwellings or extensions  British Geological Survey, National Geoscience Information Service	H5SE (NE)	0	1	454793 524185
		adon Protection Measures  No radon protective measures are necessary in the construction of new dwellings or extensions  British Geological Survey, National Geoscience Information Service	H5SE (E)	0	1	455000 524185



#### **Industrial Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	le Directory Entries				
31	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	I C L Uk Potash Terminal, Tees Dock, Middlesbrough, Cleveland, TS6 6UD Ports, Docks & Harbours Active Automatically positioned to the address	H1NE (S)	17	-	454793 523588
	Contemporary Trad	le Directory Entries				
32	Name: Location: Classification: <b>Status:</b> Positional Accuracy:	C E L Group Tees Dock, Middlesbrough, Cleveland, TS6 6UD Road Haulage Services Inactive Manually positioned within the geographical locality	H1NE (S)	80	-	454858 523594
	Points of Interest -	Commercial Services				
33	Name: Location: Category: Class Code: Positional Accuracy:	P D Ports Tees Port Lackenby House, Tees Dock, Middlesbrough, TS6 6UD Transport, Storage and Delivery Distribution and Haulage Positioned to address or location	H1SW (S)	0	9	454575 523205
	Points of Interest -	Manufacturing and Production				
34	Name: Location: Category: Class Code: Positional Accuracy:	I C L UK Tees Dock, Middlesbrough, TS6 6UD Extractive Industries Ore Mining Positioned to address or location	H1SE (S)	71	9	454824 523472
	Points of Interest -	Public Infrastructure				
35	Name: Location: Category: Class Code: Positional Accuracy:	Outfall TS6 Infrastructure and Facilities Waste Storage, Processing and Disposal Positioned to an adjacent address or location	H5SE (S)	0	9	454794 524114



#### **Sensitive Land Use**

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Sites of Special Sci	entific Interest				
36	Designation Date: Date Type: Designation Details: Designation Date: Date Type: Designation Details: Designation Date: Date Type: Date Type:	Teesmouth And Cleveland Coast Y 29770346.879999984 Natural England 1000263 Geological Conservation Review 1st November 1984 Notified Ramsar Site 1st November 1984 Notified Special Protection Area 1st November 1984 Notified Site Of Special Scientific Interest 1st November 1984 Notified	(S)	0	10	454577 523021



### **Data Currency**

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices  Stockton-on-Tees Borough Council - Environmental Health Department  Redcar and Cleveland Borough Council - Development Department	October 2017 September 2014	Annual Rolling Update Annual Rolling Update
Discharge Consents		
Environment Agency - North East Region	July 2019	Quarterly
Enforcement and Prohibition Notices	M 1 0040	
Environment Agency - North East Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - North East Region	October 2008	Variable
Integrated Pollution Prevention And Control Environment Agency - North East Region	July 2019	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Redcar and Cleveland Borough Council - Environmental Health Department	December 2014	Variable
Stockton-on-Tees Borough Council - Environmental Health Department	June 2014	Variable
Local Authority Pollution Prevention and Controls  Redcar and Cleveland Borough Council - Environmental Health Department  Stockton-on-Tees Borough Council - Environmental Health Department	December 2014 June 2014	Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements  Redcar and Cleveland Borough Council - Environmental Health Department  Stockton-on-Tees Borough Council - Environmental Health Department	December 2014 June 2014	Variable Variable
Nearest Surface Water Feature	January 2010	
Ordnance Survey	January 2019	
Pollution Incidents to Controlled Waters Environment Agency - North East Region	December 1998	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - North East Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - North East Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - North East Region	June 2016	
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - North East Region - Dales Area	July 2019	Quarterly
Environment Agency - North East Region - North East Area  Water Abstractions	July 2019	Quarterly
Environment Agency - North East Region	July 2019	Quarterly
Water Industry Act Referrals Environment Agency - North East Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	Annually
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations	Sandary 2010	, amount
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	July 2019	Quarterly



### **Data Currency**

Agency & Hydrological	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	August 2019	Quarterly
Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
OS Water Network Lines		
Ordnance Survey	April 2019	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water Suitability		
Environment Agency - Head Office	October 2013	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually



# **Data Currency**

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	July 2019	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Dales Area	July 2018	Quarterly
Environment Agency - North East Region - North East Area	July 2018	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Dales Area	July 2019	Quarterly
Environment Agency - North East Region - North East Area	July 2019	Quarterly
Local Authority Landfill Coverage		
Redcar and Cleveland Borough Council	May 2000	Not Applicable
Stockton-on-Tees Borough Council - Environmental Health Department	May 2000	Not Applicable
Local Authority Recorded Landfill Sites		
Redcar and Cleveland Borough Council	May 2000	Not Applicable
Stockton-on-Tees Borough Council - Environmental Health Department	May 2000	Not Applicable
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Registered Landfill Sites		
Environment Agency - North East Region - Dales Area	March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Dales Area	March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Dales Area	March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites	• • • • • • • • • • • • • • • • • • • •	,
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		,
Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements		- The management
Redcar and Cleveland Borough Council - Planning Department	April 2016	Variable
Stockton-on-Tees Borough Council	October 2015	Variable
-	2010001 2010	Valiable
Planning Hazardous Substance Consents Redcar and Cleveland Borough Council - Planning Department	April 2016	Variable
Stockton-on-Tees Borough Council	October 2015	Variable
Stockton-on-1669 Bollough Council	October 2013	valiable

Order Number: 218629364\_1\_1 Date: 19-Sep-2019 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 24 of 28



# **Data Currency**

Geological	Version	Update Cycle	
BGS 1:625,000 Solid Geology			
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable	
BGS Estimated Soil Chemistry			
British Geological Survey - National Geoscience Information Service	October 2015	Annually	
BGS Recorded Mineral Sites			
British Geological Survey - National Geoscience Information Service	April 2019	Bi-Annually	
CBSCB Compensation District			
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable	
Coal Mining Affected Areas			
The Coal Authority - Property Searches	March 2014	Annual Rolling Update	
Mining Instability			
Ove Arup & Partners	October 2000	Not Applicable	
Non Coal Mining Areas of Great Britain			
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable	
Potential for Collapsible Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
	January 2019	Aimaily	
Potential for Compressible Ground Stability Hazards	January 2040	A	
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Ground Dissolution Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Landslide Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Running Sand Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Potential for Shrinking or Swelling Clay Ground Stability Hazards			
British Geological Survey - National Geoscience Information Service	January 2019	Annually	
Radon Potential - Radon Affected Areas			
British Geological Survey - National Geoscience Information Service	July 2011	Annually	
Radon Potential - Radon Protection Measures			
British Geological Survey - National Geoscience Information Service	July 2011	Annually	
	·		
Industrial Land Use	Version	Update Cycle	
Contemporary Trade Directory Entries			
Thomson Directories	July 2019	Quarterly	
Fuel Station Entries			
Catalist Ltd - Experian	September 2019	Quarterly	
Gas Pipelines			
National Grid	July 2014		
Points of Interest - Commercial Services			
PointX	September 2019	Quarterly	
Points of Interest - Education and Health			
PointX	September 2019	Quarterly	
Points of Interest - Manufacturing and Production			
PointX	September 2019	Quarterly	
Points of Interest - Public Infrastructure	25,1311130. 2013		
Points of interest - Public Infrastructure PointX	September 2019	Quarterly	
	Ooptomber 2013	Quarterly	
Points of Interest - Recreational and Environmental	0	O	
PointX	September 2019	Quarterly	
Underground Electrical Cables			
National Grid	December 2015		

Order Number: 218629364\_1\_1 Date: 19-Sep-2019 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 25 of 28



# **Data Currency**

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	August 2018	Bi-Annually
Areas of Outstanding Natural Beauty		
Natural England	June 2019	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	March 2019	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	July 2019	Bi-Annually
National Parks		
Natural England	April 2017	Bi-Annually
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	October 2015	
Ramsar Sites		
Natural England	April 2019	Bi-Annually
Sites of Special Scientific Interest		
Natural England	March 2019	Bi-Annually
Special Areas of Conservation		
Natural England	June 2019	Bi-Annually
Special Protection Areas		
Natural England	April 2019	Bi-Annually

Order Number: 218629364\_1\_1 Date: 19-Sep-2019 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 26 of 28





A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEP Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE 呼倫介
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Peter Brett Associates	peterbrett

Order Number: 218629364\_1\_1 Date: 19-Sep-2019 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 27 of 28



# **Useful Contacts**

Contact	Name and Address	Contact Details	
1	British Geological Survey - Enquiry Service  British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk	
2	Environment Agency - National Customer Contact Centre (NCCC)	Telephone: Email: enquiries@environment-agency.gov.uk	
	PO Box 544, Templeborough, Rotherham, S60 1BY		
3	Redcar and Cleveland Borough Council - Environmental Health Department	Telephone Website: www.redcar-cleveland.gov.uk	
	Belmont House, Rectory Lane, Guisborough, Cleveland, TS14 7FD		
4	Environment Agency - Head Office	Telephone:	
	Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD		
5	Ordnance Survey	Telephone:	
	Adanac Drive, Southampton, Hampshire, SO16 0AS	Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk	
6	Stockton-on-Tees Borough Council - Environmental Health Department	Telephone: Website: www.stockton-bc.gov.uk	
	Municipal Buildings, 16 Church Road, Stockton-on-tees, Cleveland, TS18 1XD	Website. www.stockton-bc.gov.uk	
7	Redcar and Cleveland Borough Council	Telephone:	
	Town Hall, Fabian Road, South Bank, Middlesbrough, Cleveland, TS6 9AR	Website: www.redcar-cleveland.gov.uk	
8	Health and Safety Executive	Website: www.hse.gov.uk	
	5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS		
9	PointX	Website: www.pointx.co.uk	
	7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY		
10	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk	
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards	Telephone: Email: radon@phe.gov.uk	
	Chilton, Didcot, Oxfordshire, OX11 0RQ	Website: www.ukradon.org	
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk	

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Order Number: 218629364\_1\_1 Date: 19-Sep-2019 rpr\_ec\_datasheet v53.0 A Landmark Information Group Service Page 28 of 28

# **Geology 1:50,000 Maps Legends**

### **Artificial Ground and Landslip**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
Z	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

# **Superficial Geology**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Sand, Silt and Clay	Not Supplied - Holocene
	TFD	Tidal Flat Deposits	Sand and Silt	Not Supplied - Holocene
	GLLDD	Glaciolacustrine Deposits, Devensian	Clay and Silt	Not Supplied - Devensian
	TILLD	Till, Devensian	Diamicton	Not Supplied - Devensian
	BSA	Blown Sand	Sand	Not Supplied - Quaternary
	BTFU	Beach and Tidal Flat Deposits (Undifferentiated)	Sand	Not Supplied - Quaternary

#### **Bedrock and Faults**

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	RMU	Redcar Mudstone Formation	Mudstone	Not Supplied - Hettangian
	PNG	Penarth Group	Mudstone	Not Supplied - Rhaetian
	MMG	Mercia Mudstone Group	Mudstone	Not Supplied - Early Triassic
	SSG	Sherwood Sandstone Group	Sandstone	Not Supplied - GUADALUPIAN



### Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.


The various geological layers - artificial and landslip deposits, superficial

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

# Geology 1:50,000 Maps Coverage

Map ID: 1
Map Sheet No: 033
Map Name: Stockton
Map Date: 1987
Bedrock Geology: Available
Superficial Geology: Available
Faults: Not Supplied
Landslip: Available
Rock Segments: Not Supplied

## Geology 1:50,000 Maps - Slice H





#### **Order Details:**

Order Number: 218629 Customer Reference: 605592 National Grid Reference: 454790

218629364\_1\_1 ce: 60559231/Teesside Clean Gas erence: 454790, 524180 H

Slice: H Site Area (Ha): 1304.99 Search Buffer (m): 250

## Site Details:

Teesside Clean Gas Project 1 of 2





v15.0 19-Sep-2019

Page 1 of 5



#### **Artificial Ground and Landslip**

Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
   Worked ground - areas where the ground has been cut away such as
- Worked ground areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped.
   Disturbed ground areas of ill-defined shallow or near surface mineral
- Disturbed ground areas of ill-defined shallow or near surface minera workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

### Artificial Ground and Landslip Map - Slice H





# Order Details:

Order Number: Customer Reference: National Grid Reference:

218629364\_1\_1 60559231/Teesside Clean Gas 454790, 524180

Slice: H Site Area (Ha): 1304.99 Search Buffer (m): 250

### Site Details:


Teesside Clean Gas Project 1 of 2





v15.0 19-Sep-2019

Page 2 of 5




#### **Superficial Geology**

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

## Superficial Geology Map - Slice H



# **Order Details:**

Order Number: Customer Reference: National Grid Reference: 218629364\_1\_1 60559231/Teesside Clean Gas 454790, 524180

H 1304.99 Site Area (Ha): Search Buffer (m):

250


# Site Details:

Teesside Clean Gas Project 1 of 2



v15.0 19-Sep-2019

Page 3 of 5



#### **Bedrock and Faults**


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

# Bedrock and Faults Map - Slice H





# Order Details:

Order Number: Customer Reference: National Grid Reference: Slice:

218629364\_1\_1 60559231/Teesside Clean Gas 454790, 524180 H 1304.99

Site Area (Ha): 1304 Search Buffer (m): 250

### Site Details:


Teesside Clean Gas Project 1 of 2





v15.0 19-Sep-2019

Page 4 of 5



#### **Combined Surface Geology**

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.

#### **Additional Information**


More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

#### Contact

British Geological Survey Kingsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone:

email: enquiries@bgs.ac.uk website: www.bgs.ac.uk

## **Combined Geology Map - Slice H**



### **Order Details:**

Order Number: Customer Reference: National Grid Reference: Slice: 218629364\_1\_1 60559231/Teesside Clean Gas 454790, 524180

Slice: H Site Area (Ha): 1304.99 Search Buffer (m): 250

### Site Details:


Teesside Clean Gas Project 1 of 2





i: xc sib:


v15.0 19-Sep-2019


Page 5 of 5



















X Bearing Reference Point

Several of Type at Location

# Agency and Hydrological (Boreholes)

BGS Borehole Depth 0 - 10m


BGS Borehole Depth 10 - 30m

BGS Borehole Depth 30m +

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

# **Borehole Map - Slice H**



# **Order Details**

218629364\_1\_1

Customer Ref: 60559231/Teesside Clean Gas National Grid Reference: 454790, 524180

1304.99 250

# **Site Details**

Teesside Clean Gas Project 1 of 2



