



Envirocheck® Report:

Datasheet

Order Details:

Order Number: 218629437_1_1

Customer Reference: 60559231/Teesside Clean Gas

National Grid Reference: 455540, 526570

Slice: H

Site Area (Ha): 1523.9

Search Buffer (m): 250

Site Details: Teesside Clean Gas Project 2 of 2

Client Details:

Mr R Addison AECOM Ltd 1st Floor, One Trinty Gardens Broad Chare Newcastle Upon Tyne NE1 2HF



Δ=CO

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	7
Hazardous Substances	-
Geological	8
Industrial Land Use	11
Sensitive Land Use	12
Data Currency	13
Data Suppliers	18
Useful Contacts	19

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread,

and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2019. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark,

subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2019. © Natural Resources Wales & United Kingdom Research and Innovation 2019.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranifield University. © James Hutton Institute. Contains OS data © Crown copyright and database Right. database right 2019. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 2	4	
Prosecutions Relating to Controlled Waters			n/a
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 2	Yes	
Pollution Incidents to Controlled Waters			
Prosecutions Relating to Authorised Processes			
Registered Radioactive Substances			
River Quality			
River Quality Biology Sampling Points			
River Quality Chemistry Sampling Points			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 3	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 5	Yes	n/a
Superficial Aquifer Designations	pg 5	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 5	Yes	
Flooding from Rivers or Sea without Defences	pg 5	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 6		1



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage		1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)	pg 7	1	
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 8	Yes	n/a
BGS Estimated Soil Chemistry	pg 8	Yes	
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas			n/a
Mining Instability			n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards			
Potential for Compressible Ground Stability Hazards	pg 8	Yes	
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 9	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 9	Yes	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 9	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure	pg 11	1	
Points of Interest - Recreational and Environmental			
Gas Pipelines			
Underground Electrical Cables			



Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt			
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones			
Ramsar Sites	pg 12	1	
Sites of Special Scientific Interest	pg 12	1	
Special Areas of Conservation			
Special Protection Areas	pg 12	1	
World Heritage Sites			



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	455150 526100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	456150 526050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	456350 526050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	455600 526200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	456500 526100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	0	1	455000 526250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H4SW (SE)	0	1	456000 526350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	H3SE (SE)	0	1	455700 526300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H4NW (NE)	0	1	455800 526800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	456650 526250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	456850 526350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	456150 525950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H2SE (W)	0	1	455000 526570
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	H3SE (N)	0	1	455535 526570
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	456900 526050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	456000 525750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	H3NE (NE)	0	1	455750 526800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	137	1	455850 526250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	143	1	455250 525700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	H4SW (SE)	211	1	455800 526350



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment:	British Steel Plc MAKING OF BASIC METALS/IRON+STEEL/FOUNDRY/CASTING Redcar Steel Works Site, Redcar Environment Agency, North East Region Tees (Lower); Leven; Tame 254/0474 1 3rd June 1987 3rd June 1987 23rd June 1987 23rd June 1994 Trade Effluent Freshwater Stream/River	H2SW (W)	0	2	454700 526400
	Receiving Water: Status: Positional Accuracy:	Tees Authorisation revoked Located by supplier to within 10m				
1	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Issued Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	s British Steel Iron & Steel Industries Af8548, Redcar Coke Oven, REDCAR, Cleveland Environment Agency, North East Region Tees (Lower) 254/EPA/028 Not Supplied Not Supplied 3rd June 1987 Not Supplied Chemical Saline Estuary Tees Estuary Not Supplied Located by supplier to within 100m	H2SW (W)	0	2	454700 526400
1	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	s Corus Construction Industrial MAKING OF BASIC METALS/IRON+STEEL/FOUNDRY/CASTING Redcar Steel Works Site, Redcar Environment Agency, North East Region Not Supplied 254/B/0187 1 17th December 1973 17th December 1973 3rd June 1987 Unspecified Freshwater Stream/River Tees Transferred from Rivers (Prevention of Pollution) Act 1951-1961 Located by supplier to within 10m	H2SW (W)	0	2	454700 526400
1	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status: Positional Accuracy:	s British Steel Plc MAKING OF BASIC METALS/IRON+STEEL/FOUNDRY/CASTING Redcar Steel Works Site, Redcar Environment Agency, North East Region Tees (Lower); Leven; Tame 254/B/0187d 1 17th December 1973 17th December 1973 2nd June 1987 Trade Effluent Freshwater Stream/River Tidal Waters Of Tees Authorisation revoked Located by supplier to within 10m	H2SW (W)	0	2	454700 526400
	Nearest Surface Wa	ter Feature	H3SW (W)	0	-	455390 526586



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(SW)	0	3	455000 526000
	Combined Vulnerability:	High				020000
	Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures No Data				
	Baseflow Index: Superficial Patchiness:	No Data >90%				
	Superficial Thickness: Superficial	>10m No Data				
	Recharge:					
	Groundwater Vulne					
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(S)	0	3	455535 526000
	Combined Vulnerability: Combined Aquifer:	High Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	High Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	No Data No Data >90%				
	Patchiness: Superficial Thickness:	>10m				
	Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(SE)	0	3	456000 526000
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year >70% >90%				
	Patchiness: Superficial	>10m				
	Thickness: Superficial Recharge:	High				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(SE)	0	3	456054 526000
	Combined Vulnerability:	High				52000
	Combined Aquifer: Pollutant Speed: Bedrock Flow:	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures				
	Dilution: Baseflow Index:	<300 mm/year >70%				
	Superficial Patchiness: Superficial	>90% >10m				
	Thickness: Superficial	High				
	Recharge:					



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	erability Map				
	Combined	Secondary Superficial Aquifer - High Vulnerability	(E)	0	3	457000
	Classification: Combined	High				526000
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial	Productive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures <300 mm/year >70% >90%				
	Patchiness: Superficial	>10m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	H2SE (W)	0	3	455000 526570
	Combined Vulnerability: Combined Aquifer: Pollutant Speed:	High Productive Bedrock Aquifer, Productive Superficial Aquifer High				
	Bedrock Flow: Dilution: Baseflow Index:	Well Connected Fractures <300 mm/year >70%				
	Superficial Patchiness: Superficial	>90% >10m				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	H3SE (N)	0	3	455535 526570
	Combined Vulnerability: Combined Aquifer:	High Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow: Dilution:	High Well Connected Fractures No Data				
	Baseflow Index: Superficial	No Data <90%				
	Patchiness: Superficial Thickness:	>10m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	erability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	H4NW (E)	0	3	456001 526703
	Combined Vulnerability: Combined Aquifer:	High Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	High Well Connected Fractures				
	Dilution: Baseflow Index: Superficial	<300 mm/year >70% >90%				
	Patchiness: Superficial Thickness:	>10m				
	Superficial Recharge:	No Data				



Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne			_	_	
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	H4SW (E)	0	3	456000 526570
	Combined Vulnerability:	High				
	Combined Aquifer: Pollutant Speed:	Productive Bedrock Aquifer, Productive Superficial Aquifer High				
	Bedrock Flow: Dilution:	Well Connected Fractures <300 mm/year				
	Baseflow Index:	>70% >90%				
	Superficial Patchiness:					
	Superficial Thickness:	>10m				
	Superficial Recharge:	No Data				
	Groundwater Vulne	rability Map				
	Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	(E)	0	3	457000 526319
	Combined	High				520515
	Vulnerability: Combined Aquifer:	Productive Bedrock Aquifer, Productive Superficial Aquifer				
	Pollutant Speed: Bedrock Flow:	High Well Connected Fractures				
	Dilution: Baseflow Index:	No Data No Data				
	Superficial Patchiness:	<90%				
	Superficial	>10m				
	Thickness: Superficial	No Data				
	Recharge:					
	Groundwater Vulne	rability - Soluble Rock Risk				
	Bedrock Aquifer De	esignations				
	Aquifer Designation:	Secondary Aquifer - Undifferentiated	(S)	0	3	456047 525264
	Bedrock Aquifer De	-		-	_	
	Aquifer Designation:	Secondary Aquifer - B	H2SE (W)	0	3	455000 526570
	Bedrock Aquifer De	-				
	Aquifer Designation:	Secondary Aquifer - B	H3SE (N)	0	3	455535 526570
	Superficial Aquifer	5				
	Aquifer Designation:	Secondary Aquifer - A	H3NE (NE)	0	3	455773 526702
	Superficial Aquifer	Designations				
	Aquifer Designation:	Secondary Aquifer - Undifferentiated	H3SE (N)	0	3	455535 526570
	Superficial Aquifer	Designations				
	Aquifer Designation:	Secondary Aquifer - Undifferentiated	H2SE (W)	0	3	455000 526570
	Extreme Flooding f	rom Rivers or Sea without Defences				
	Type: Flood Plain Type: Boundary Accuracy:	Extent of Extreme Flooding from Rivers or Sea without Defences Tidal Models As Supplied	H3SE (N)	0	2	455535 526570
	•	rom Rivers or Sea without Defences				
	Type: Flood Plain Type: Boundary Accuracy:	Extent of Extreme Flooding from Rivers or Sea without Defences Tidal Models As Supplied	H8SW (NE)	0	2	456079 527181
	-	rs or Sea without Defences				
	Type: Flood Plain Type: Boundary Accuracy:	Extent of Flooding from Rivers or Sea without Defences Tidal Models As Supplied	H3SE (N)	0	2	455535 526570
	Areas Benefiting fro	om Flood Defences				
	Flood Water Storag	e Areas				
	Flood Defences					
	None					



Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 2372.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Tees Catchment Name: Tees Primacy: 1	H2NW (NW)	240	4	454659 526955



Waste

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage					
	Name:	Redcar and Cleveland Unitary Council - Has no landfill data to supply		0	5	455617 526245
	Local Authority La	ndfill Coverage				
	Name:	Stockton On Tees Unitary Council - Has supplied landfill data		33	6	454497 526227
	Potentially Infilled Land (Water)					
3	Use: Date of Mapping:	Unknown Filled Ground (Pond, marsh, river, stream, dock etc) 1856	H3NE (NE)	0	-	455771 526688



Geological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Description:	d Geology Triassic Rocks (Undifferentiated)	H3NE (NE)	0	1	455721 526739
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Sediment no data <1.8 mg/kg no data	(NE) H8NW (NE)	0	1	456067 527335
		Chamistry				
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil no data <1.8 mg/kg no data	H3SW (W)	0	1	455393 526586
	BGS Estimated Soil Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	H3SE (S)	0	1	455535 526500
	BGS Estimated Soil	Chemistry				
	Source: Soil Sample Type: Arsenic Concentration: Cadmium Concentration: Chromium Concentration: Lead Concentration: Nickel Concentration:	British Geological Survey, National Geoscience Information Service Rural Soil and Sediment <15 mg/kg <1.8 mg/kg 60 - 90 mg/kg	H3SE (N)	0	1	455535 526570
	BGS Measured Urba	an Soil Chemistry				
	No data available	mistry Averages				
	BGS Urban Soil Che No data available	ennou y Averayes				
	Coal Mining Affecte	d Areas not be affected by coal mining				
	Non Coal Mining Ar No Hazard	eas of Great Britain				
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Potential for Collaps Hazard Potential: Source:	sible Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Potential for Compr Hazard Potential: Source:	essible Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	(SW)	0	1	455000 526253
		essible Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	(SE)	0	1	455713 526258



Geological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Comp	ressible Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	H3NE (NE)	0	1	455773 526702
	Potential for Comp Hazard Potential: Source:	ressible Ground Stability Hazards Moderate British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Hazard Potential:	ressible Ground Stability Hazards Moderate	H3SE	0	1	455535
	Source:	British Geological Survey, National Geoscience Information Service	(N)			526570
	Potential for Comp Hazard Potential: Source:	ressible Ground Stability Hazards Moderate British Geological Survey, National Geoscience Information Service	H4SW (E)	0	1	456060 526635
	Potential for Groun Hazard Potential: Source:	nd Dissolution Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Potential for Groun Hazard Potential: Source:	nd Dissolution Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Potential for Lands Hazard Potential: Source:	slide Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Potential for Lands Hazard Potential: Source:	slide Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Potential for Lands Hazard Potential: Source:	slide Ground Stability Hazards Low British Geological Survey, National Geoscience Information Service	(SE)	172	1	455749 526292
	Potential for Runni Hazard Potential: Source:	ng Sand Ground Stability Hazards Low British Geological Survey, National Geoscience Information Service	H3NE (NE)	0	1	455773 526702
	Potential for Runni Hazard Potential: Source:	ng Sand Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	(SW)	0	1	455000 526253
	Potential for Runni Hazard Potential: Source:	i ng Sand Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	(SE)	0	1	455713 526258
	Potential for Runni Hazard Potential: Source:	i ng Sand Ground Stability Hazards Moderate British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Potential for Runni Hazard Potential: Source:	i ng Sand Ground Stability Hazards High British Geological Survey, National Geoscience Information Service	H8NW (NE)	0	1	456054 527344
	Potential for Runni Hazard Potential: Source:	ing Sand Ground Stability Hazards Moderate British Geological Survey, National Geoscience Information Service	H4SW (E)	0	1	456060 526635
	Potential for Runni Hazard Potential: Source:	ing Sand Ground Stability Hazards Moderate British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Potential for Shrink Hazard Potential: Source:	king or Swelling Clay Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Potential for Shrink Hazard Potential: Source:	king or Swelling Clay Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Potential for Shrink Hazard Potential: Source:	king or Swelling Clay Ground Stability Hazards No Hazard British Geological Survey, National Geoscience Information Service	H3NE (NE)	0	1	455773 526702
	Potential for Shrink Hazard Potential: Source:	king or Swelling Clay Ground Stability Hazards Very Low British Geological Survey, National Geoscience Information Service	H8SE (NE)	0	1	456202 527248



Geological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - R	adon Affected Areas				
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Radon Potential - R	adon Affected Areas				
	Affected Area: Source:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570
	Radon Potential - R	adon Protection Measures				
	Protection Measure: Source:	No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	H2SE (W)	0	1	455000 526570
	Radon Potential - R	adon Protection Measures				
	Protection Measure: Source:	No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	H3SE (N)	0	1	455535 526570



Industrial Land Use

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Points of Interest - I	Public Infrastructure				
4	Name: Location: Category: Class Code: Positional Accuracy:	Refuse Tip (Disused) TS10 Infrastructure and Facilities Refuse Disposal Facilities Positioned to an adjacent address or location	H4SE (E)	0	7	456391 526325



Sensitive Land Use

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	Ramsar Sites Name: Multiple Areas: Total Area (m2): Source: Reference: Designation Date:	Teesmouth And Cleveland Coast Y 12537569.88 Natural England UK11068 Not Supplied	(NE)	0	8	456761 527327
6	Designation Date: Date Type: Designation Details: Date Type: Designation Details: Designation Date: Date Type:	Teesmouth And Cleveland Coast Y 29770346.879999984 Natural England 1000263 Geological Conservation Review 1st November 1984 Notified	H3SE (N)	0	8	455535 526570
7	Special Protection A Name: Multiple Areas: Total Area (m2): Source: Reference: Designation Date:	Areas Teesmouth And Cleveland Coast Y 12515083.540000005 Natural England UK9006061 Not Supplied	(NE)	0	8	456761 527327



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Hartlepool Borough Council - Neighbourhood Services Department Stockton-on-Tees Borough Council - Environmental Health Department Redcar and Cleveland Borough Council - Development Department	April 2013 October 2017 September 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - North East Region	July 2019	Quarterly
Enforcement and Prohibition Notices Environment Agency - North East Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - North East Region	October 2008	Variable
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	July 2019	Quarterly
Local Authority Integrated Pollution Prevention And Control Hartlepool Borough Council - Environmental Health Department Redcar and Cleveland Borough Council - Environmental Health Department Stockton-on-Tees Borough Council - Environmental Health Department	April 2015 December 2014 June 2014	Variable Variable Variable
Local Authority Pollution Prevention and Controls Hartlepool Borough Council - Environmental Health Department Redcar and Cleveland Borough Council - Environmental Health Department Stockton-on-Tees Borough Council - Environmental Health Department	April 2015 December 2014 June 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Hartlepool Borough Council - Environmental Health Department Redcar and Cleveland Borough Council - Environmental Health Department Stockton-on-Tees Borough Council - Environmental Health Department	April 2015 December 2014 June 2014	Variable Variable Variable
Nearest Surface Water Feature		
Ordnance Survey	January 2019	
Pollution Incidents to Controlled Waters Environment Agency - North East Region	December 1998	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - North East Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - North East Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - North East Region	June 2016	
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - North East Region - Dales Area Environment Agency - North East Region - North East Area	July 2019 July 2019	Quarterly Quarterly
Water Abstractions Environment Agency - North East Region	July 2019	Quarterly
Water Industry Act Referrals Environment Agency - North East Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	Annually
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually



Agency & Hydrological	Version	Update Cycle
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Source Protection Zones		
Environment Agency - Head Office	July 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	August 2019	Quarterly
Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
OS Water Network Lines		
Ordnance Survey	April 2019	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	October 2013	Annually
Surface Water Suitability		
Environment Agency - Head Office	October 2013	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	July 2019	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Dales Area	July 2018	Quarterly
Environment Agency - North East Region - North East Area	July 2018	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Dales Area	July 2019	Quarterly
Environment Agency - North East Region - North East Area	July 2019	Quarterly
Local Authority Landfill Coverage		
Hartlepool Borough Council - Environmental Health Department	May 2000	Not Applicable
Redcar and Cleveland Borough Council	May 2000	Not Applicable
Stockton-on-Tees Borough Council - Environmental Health Department	May 2000	Not Applicable
Local Authority Recorded Landfill Sites		
Hartlepool Borough Council - Environmental Health Department	May 2000	Not Applicable
Redcar and Cleveland Borough Council	May 2000	Not Applicable
Stockton-on-Tees Borough Council - Environmental Health Department	May 2000	Not Applicable
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
-		
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	Not Applicable
	December 1999	
Registered Landfill Sites	March 2002	Net Applicable
Environment Agency - North East Region - Dales Area	March 2003 March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Registered Waste Transfer Sites	March 0000	
Environment Agency - North East Region - Dales Area	March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Dales Area	March 2003	Not Applicable
Environment Agency - North East Region - North East Area	March 2003	Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements		
Redcar and Cleveland Borough Council - Planning Department	April 2016	Variable
Hartlepool Borough Council	January 2016	Variable
Stockton-on-Tees Borough Council	October 2015	Variable
Planning Hazardous Substance Consents		
Redcar and Cleveland Borough Council - Planning Department	April 2016	Variable
Hartlepool Borough Council	January 2016	Variable
Stockton-on-Tees Borough Council	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2019	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures	501y 2011	Annually
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2019	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	September 2019	Quarterly
Gas Pipelines		
National Grid	July 2014	
Points of Interest - Commercial Services		
PointX	September 2019	Quarterly
Points of Interest - Education and Health		
PointX	September 2019	Quarterly
Points of Interest - Manufacturing and Production		
PointX	September 2019	Quarterly
Points of Interest - Public Infrastructure		
PointX	September 2019	Quarterly
Points of Interest - Recreational and Environmental		
PointX	September 2019	Quarterly
Underground Electrical Cables		
National Grid	December 2015	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	August 2018	Bi-Annually
Areas of Outstanding Natural Beauty		
Natural England	June 2019	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	March 2019	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	July 2019	Bi-Annually
National Parks		
Natural England	April 2017	Bi-Annually
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	October 2015	
Ramsar Sites		
Natural England	April 2019	Bi-Annually
Sites of Special Scientific Interest		
Natural England	March 2019	Bi-Annually
Special Areas of Conservation		
Natural England	June 2019	Bi-Annually
Special Protection Areas		
Natural England	April 2019	Bi-Annually



A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPÃO Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Peter Brett Associates	peterbrett

Useful Contacts

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: Email: enquines@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: Email: enquines@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone:
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Redcar and Cleveland Borough Council Town Hall, Fabian Road, South Bank, Middlesbrough, Cleveland, TS6 9AR	Telephone: Website: www.redcar-cleveland.gov.uk
6	Stockton-on-Tees Borough Council - Environmental Health Department Municipal Buildings, 16 Church Road, Stockton-on-tees, Cleveland, TS18 1XD	Telephone: Website: www.stockton-bc.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: Email: enquines@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
\mathbf{Z}	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Sand and Silt	Not Supplied - Holocene
	TFD	Tidal Flat Deposits	Sand, Silt and Clay	Not Supplied - Holocene
	BSA	Blown Sand	Sand	Not Supplied - Quaternary
	BTFU	Beach and Tidal Flat Deposits (Undifferentiated)	Sand	Not Supplied - Quatemary
	MBD	Marine Beach Deposits	Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	RMU	Redcar Mudstone Formation	Mudstone	Not Supplied - Hettangian
	PNG	Penarth Group	Mudstone	Not Supplied - Rhaetian
	MMG	Mercia Mudstone Group	Mudstone	Not Supplied - Early Triassic
	SSG	Sherwood Sandstone Group	Sandstone	Not Supplied - GUADALUPIAN
/		Faults		

AECOM


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1 50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,	000 Maps	Coverage	
Map ID:	1	Map ID:	2
Map Sheet No:	033	Map Sheet No:	034
Map Name:	Stockton	Map Name:	Guisborough
Map Date:	1987	Map Date:	1998
Bedrock Geology:	Available	Bedrock Geology:	Available
Superficial Geology:	Available	Superficial Geology:	Available
Artificial Geology:	Available	Artificial Geology:	Available
Faults:	Not Supplied	Faults:	Not Supplied
Landslip:	Available	Landslip:	Available
Rock Segments:	Not Supplied	Rock Segments:	Not Supplied






Site Details:

Teesside Clean Gas Project 2 of 2





Artificial Ground and Landslip

Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often engineering conditions and unstable ground.


Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- -Worked ground areas where the ground has been cut away such as quarries and road cuttings.

- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.

 Landscaped ground - areas where the surface has been reshaped.
 Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.




Site Details:

Teesside Clean Gas Project 2 of 2



250




Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1 8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.


Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice H



Order Details: Order Number: Customer Reference: National Grid Reference: Slice: Site Area (Ha): Search Buffer (m):	218629437_1_1 60559231/Teesside Clean Gas 455540, 526570 H 1523.9 250
Site Details: Teesside Clean Gas Project	2 of 2

INFORMATION v15.0 19-Sep-2019



Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.


The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.





Order Details: Order Number: Customer Reference: National Grid Reference: Silce: Site Area (Ha): Search Buffer (m):	218629437_1_1 60559231/Teesside 455540, 526570 H 1523.9 250	e Clean Gas	
Site Details: Teesside Clean Gas Project	2 of 2		
	* Tel Fax Web		-
v15.0 19-Sep-2019		Page 4 of	5



Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.


Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.

Additional Information


More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact






v15.0 19-Sep-2019 Page 5 of 5









Order Details

Order Number:
Customer Ref:
National Grid Reference
Slice:
Site Area (Ha):
Plot Buffer (m):

218629437_1_1 60559231/Teesside Clean Gas e: 455540, 526570 н 1523.9


Site Details

Teesside Clean Gas Project 2 of 2

100




A Landmark Information Group Service v50.0 19-Sep-2019 Page 1 of 4









Order Details

Order Number:
Customer Ref:
National Grid Reference
Slice:
Site Area (Ha):
Plot Buffer (m):

218629437_1_1 60559231/Teesside Clean Gas ce: 455540, 526570 H 1523.9


Site Details

Teesside Clean Gas Project 2 of 2

100




A Landmark Information Group Service v50.0 19-Sep-2019









Order Details

Order Number:
Customer Ref:
National Grid Reference
Slice:
Site Area (Ha):
Plot Buffer (m):

218629437_1_1 60559231/Teesside Clean Gas e: 455540, 526570 Н 1523.9


Site Details

Teesside Clean Gas Project 2 of 2

100




A Landmark Information Group Service v50.0 19-Sep-2019 Page 3 of 4









Order Details

Order Number:
Customer Ref:
National Grid Reference
Slice:
Site Area (Ha):
Plot Buffer (m):


218629437_1_1 60559231/Teesside Clean Gas e: 455540, 526570 H 1523.9

Site Details

Teesside Clean Gas Project 2 of 2

100










Site Sensitivity Map - Slice H



Order Details

Order Number: Customer Ref: National Grid Reference: 455540, 526570 Slice: Site Area (Ha): Search Buffer (m):

218629437_1_1 60559231/Teesside Clean Gas Н 1523.9 250


Tel: Fax: Web:

Site Details

Teesside Clean Gas Project 2 of 2




A Landmark Information Group Service v50.0 19-Sep-2019 Page 1 of 6











General

🔼 Specified Site C Specified Buffer(s)

X Bearing Reference Point

Agency and Hydrological (Flood)

Extreme Flooding from Rivers or Sea without Defences (Zone 2)

Flooding from Rivers or Sea without Defences (Zone 3)


Area Benefiting from Flood Defence



Flood Water Storage Areas

--- Flood Defence

Flood Map - Slice H



Order Details


Slice: Site Area (Ha): Search Buffer (m):

Order Number: 218629437_1_1 Customer Ref: 60559231/Teesside Clean Gas National Grid Reference: 455540, 526570 Н 1523.9 250

Site Details

Teesside Clean Gas Project 2 of 2







General

🔼 Specified Site C Specified Buffer(s) X Bearing Reference Point 8 Map ID Several of Type at Location

Agency and Hydrological (Boreholes)


- 😑 BGS Borehole Depth 0 10m
- BGS Borehole Depth 10 30m
- 🔴 BGS Borehole Depth 30m +
- Confidential

🔿 Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice H



Order Details

Slice: Site Area (Ha): Search Buffer (m):

Order Number: 218629437_1_1 Customer Ref: 60559231/Teesside Clean Gas National Grid Reference: 455540, 526570 Н 1523.9 250


Site Details


Teesside Clean Gas Project 2 of 2



Tel: Fax: Web

A Landmark Information Group Service v50.0 19-Sep-2019 Page 4 of 6







General

- 🔼 Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water

High - 30 Year Return

Medium - 100 Year Return


Low - 1000 Year Return

Suitability See the suitability map below

National to county County to town Town to street Street to parcels of land

Property

EA/NRW Suitability Map - Slice H



Order Details

Slice: Site Area (Ha): Search Buffer (m):


Order Number: 218629437_1_1 Customer Ref: 60559231/Teesside Clean Gas National Grid Reference: 455540, 526570 Н 1523.9 250

Site Details


Teesside Clean Gas Project 2 of 2
















































Order Details:	2
Customer Ref:	6
National Grid Reference:	4
Slice:	H
Site Area (Ha):	1
Search Buffer (m):	2