

## 30 REFERENCES

ABPmer (2002). Tees Entrance Channel Study. Conceptual Model of Estuary Processes. Report R.972.

ABPmer (2005). Tees Maintenance Dredging Baseline Document. Report R.1149.

Andersen, S., Teilmann, J., Dietz, R., Schmidt, N. and Miller, L. (2012). Behavioural responses of harbour seals to human-induced disturbances. *Aquatic Conserv: Mar. Freshw. Ecosyst.*, 22: 113-121. doi:10.1002/aqc.1244.

AOC Archaeology (2005) Cultural Heritage Desk-based Assessment Northern Gateway, Teesport, unpublished client report.

Appleby, J.P. and Scarratt, D.J. (1989). Physical effects of suspended solids on marine and estuarine fish and shellfish with special reference to ocean dumping: A Literature Review. Canadian Technical Report of Fish and Aquatic Sciences, 1681, 33pp.

Archaeological Research Services Ltd, 2009 (updated 2011) Rapid Coastal Zone Assessment: North East. Available at: [https://archaeologydataservice.ac.uk/archives/view/nercza\\_eh\\_2009/](https://archaeologydataservice.ac.uk/archives/view/nercza_eh_2009/)

Bat Conservation Trust (BCT) and Institute of Lighting Engineers (ILP) (2018) Bats and Artificial Lighting in the UK

Berrow, S.D. and Rogan, E. (1995). Stomach contents of harbour porpoises and dolphins in Irish waters. *European Research on Cetaceans*, 9, pp.179-181.

Blix, A.S. and Folkow, L.P. (1995). Daily energy expenditure in free living minke whales. *Acta Physiol. Scand.* 153:61-66.

Börjesson, P., Berggren, P. and Ganning, B. (2003). Diet of harbour porpoises in the Kattegat and Skagerrak seas: accounting for individual variation and sample size. *Marine Mammal Science*, 19(1), pp.38-058.

British Standard, (2013): British Standard 42020:2013 –Biodiversity. Code of Practice for planning and development

British Standard 5837: 2012 – Trees in relation to design, demolition and construction.

Cabot, D. and Nisbet, I. (2013). Terns. Collins New Naturalist Library, 123pp. HarperCollins, UK.

Caltrans (2015). Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish, p.532. Sacramento, CA.

Central Dredging Association (CEDA) (2011). Underwater sound in relation to dredging. Position Paper - 7 November 2011. Available at URL: [http://www.dredging.org/documents/ceda/downloads/2011-11\\_ceda\\_positionpaper\\_underwatersound.pdf](http://www.dredging.org/documents/ceda/downloads/2011-11_ceda_positionpaper_underwatersound.pdf)

Centre for Ecology and Hydrology (2020). Air Pollution Information System Website [Online]. Available at: [www.APIS.ac.uk](http://www.APIS.ac.uk) [Accessed: September 2020].

Chanin P (2003). Ecology of the European Otter. Conserving Natura 2000 Rivers Ecology Series No. 10. English Nature, Peterborough

Chartered Institute of Ecology and Environmental Management (CIEEM) (2018) as amended Guidelines for Ecological Impact Assessment in the UK and Ireland: Terrestrial, Freshwater, Coastal and Marine. Available at: <https://cieem.net/wp-content/uploads/2018/08/ECIA-Guidelines-Sept-2019.pdf>

Cook, A.S.C.P. and Burton, N.H.K. (2010). A review of the potential impacts of marine aggregate extraction on seabirds. Marine Environment Protection Fund (MEPF) Project 09/P130.

Construction Industry Research and Information Association (2015) Coastal and marine environmental site guide (2nd edition) (C744)

Construction Industry Research and Information Association (2015) Guidance note C741 Environmental Good Practice on Site Guide (4th edition)

Cook, A.S.C.P. and Burton, N.H.K. (2010). A review of the potential impacts of marine aggregate extraction on seabirds. Marine Environment Protection Fund (MEPF) Project 09/P130.

Coull, K.A., Johnstone, R. and Rogers, S.I. (1998). Fisheries Sensitivity Maps in British Waters. Published and distributed by UKOOA Ltd., 58pp.

CSIP (2015). UK Cetacean Strandings Investigation Programme Report. Annual Report for the period 1st January – 31st December 2015 (Contract number MB0111). <http://ukstrandings.org/csip-reports/>

Cutts, N. Hemmingway, K. & Spencer, J. (2013). Waterbird Disturbance Mitigation Toolkit Informing Estuarine Planning and Construction Projects (Version 3.2, March 2013). University of Hull. [Online]. <http://www.tide-project.eu/>

Cutts, N., Phelps, A. and Burdon, D. (2009). Construction and waterfowl: defining sensitivity, response, impacts and guidance. Report to Humber INCA.

Dean, M., Strachan, R., Gow, D. and Andrews, R. (2016). The Water Vole Mitigation Handbook (The Mammal Society Mitigation Guidance Series). Eds Fiona Mathews and Paul Chanin. The Mammal Society, London

DECC (now Department for Business, Energy and Industrial Strategy) (2016), UK Offshore Energy Strategic Environmental Assessment 3 (OESEA3).

Department for Environment Food and Rural Affairs (Defra) (2007). The Air Quality Strategy for England, Scotland, Wales and Northern Ireland. London: HMSO.

Department for Environment Food and Rural Affairs (Defra) (2018). Local Air Quality Management Technical Guidance LAQM.TG(16).

Department for Environment Food and Rural Affairs (Defra) (2020). Background Mapping Data (2018-based) [Online]. Available at: <https://uk-air.defra.gov.uk/data/laqm-background-maps?year=2018> [Accessed: September 2020].

Department for Transport (DfT) (2012) National Policy Statement for Ports. London:HMSO.

Department of Environment (DoE) (1997). The UK National Air Quality Strategy London: HMSO.

Department of Environment, Transport & the Regions (DETR) (2000). Air Quality Strategy for England, Scotland, Wales and Northern Ireland. London: HMSO.

Department of Environment, Transport & the Regions (DETR) (2003). Air Quality Strategy for England, Scotland, Wales and Northern Ireland – Addendum. London: HMSO.

Department for Business, Environment and Industrial Strategy (BEIS), (2020a), Greenhouse Gas Reporting, Conversion Factors 2020, available at URL:  
<https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2020>

Department for Business, Environment and Industrial Strategy (BEIS), (2020b), Emissions of carbon dioxide for local authority areas, available at URL: <https://data.gov.uk/dataset/723c243d-2f1a-4d27-8b61-cdb93e5b10ff/emissions-of-carbon-dioxide-for-local-authority-areas>

Department for Business, Energy and Industrial Strategy (BEIS) (2017). Industrial Strategy: Building a Britain fit for the future. Available at: <https://www.gov.uk/government/publications/industrial-strategy-building-a-britain-fit-for-the-future> [Accessed: 24/09/2020].

Department for Transport (2012). National Policy Statement for Ports. January 2012.

Department for Transport (DfT) (2019a) Transport Analysis Guidance, WebTAG A1.3.9: Proportions of vehicle kilometres by fuel type. May 2019

Dietz, R., Teilmann, J., Henriksen, O.D. and Laidre, K. (2003). Movements of seals from Rodsand sanctuary monitored by satellite telemetry. Relative importance of the Nysted Offshore Wind Farm to seals. NERI, Denmark. Report No. 429: Page 44.

Dwyer, R.G., Bearhop, S., Campbell, H.A. and Bryant, D.M. (2013). Shedding light on light: benefits of anthropogenic illumination to a nocturnally foraging shorebird. *Journal of Animal Ecology*, 82, pp. 478-485.

Ecology Consulting (2015). Wintering Bird Surveys 2014-15 at Teesside to inform Natural England review of protected sites: final report. Report to Natural England, April 2015.

Edgar et al. (2010) Reptile Habitat Management Handbook

Ellis, J., Milligan, S.P., Readdy, L., South, A., Taylor, N. and Brown, M.J. (2010). MB5301 Mapping spawning and nursery areas of species to be considered in Marine Protected Areas (Marine Conservation Zones). Report No. 1: Final Report on development of derived data layers for 40 mobile species considered to be of conservation importance, August 2010. Report to Defra. Cefas, Lowestoft.

English Nature (2001) Great Crested Newt Mitigation Guidelines

Environment Agency (2012) Clearing the Waters. Found at [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/577843/75\\_11\\_LIT\\_7288\\_f81e9b.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/577843/75_11_LIT_7288_f81e9b.pdf)

Environment Agency (2016) Clearing the Waters For all. Found at: <https://www.gov.uk/guidance/water-framework-directive-assessment-estuarine-and-coastal-waters>

Environment Agency (2018). Coastal Flood Boundary Conditions for the UK: Update 2018. Technical Summary Report. Report No. SC060064/TR6.

Environment Agency (2019). Coarse fishing close season on English rivers – report on public consultation, Version 1. Environment Agency, December 2019. Available at: <https://consult.environment-agency.gov.uk/fisheries/consultation-on-the-review-of-the-close-season/results/coarsefishingcloseseasononenglishrivers-publicconsultationreport-dec2019.pdf>.

Environment Agency (2020a). Flood and Coastal Risk Projects, Schemes and Strategies: Climate Change Allowances. July 2020.

Environment Agency (2020b). Flood Risk Assessments: Climate Change Allowances. July 2020.

Environment Agency (2020) Data catchment explorer. Found at: <http://environment.data.gov.uk/catchment-planning/>

European Parliament (1996). Council Directive 96/62/EC on Ambient Air Quality Assessment and Management.

European Parliament (2008). Council Directive 2008/50/EC on Ambient Air Quality and Cleaner Air for Europe.

Evans, P. G. H., Carson, Q., Fisher, P., Jordan, W., Limer, R and Rees, I. (1993). A study of the reactions of harbour porpoises to various boats in the coastal waters of Shetland. In European research on cetaceans, pp 60. Eds Evans. European Cetacean Society, Cambridge.

Evans, P. G., Baines, M.E., and Anderwald. P. (2011). Risk Assessment of Potential Conflicts between Shipping and Cetaceans in the ASCOBANS Region. 18th ASCOBANS Advisory Committee Meeting AC18/Doc.6-04 (S) rev.1 UN Campus, Bonn, Germany, 4-6 May 2011 Dist. 2 May 2011.

Experian (2020) UK Regional Planning Service, March 2020. Available at: <https://www.experian.co.uk/business/business-information/market-intelligence/economic-services/> [Accessed: 25/09/2020].

Forewind (2014). Dogger Bank Teesside A & B Environmental Statement. Available from Planning Inspectorate : <https://infrastructure.planninginspectorate.gov.uk/projects/yorkshire-and-the-humber/dogger-bank-teesside-a-sofia-offshore-wind-farm-formerly-dogger-bank-teesside-b-project-previously-known-as-dogger-bank-teesside-ab/?ipcsection=docs&stage=app&filter1=Environmental+Statement>.

GB Non-native Species Secretariat (2015) Species Information. Available at: <http://www.nonnativespecies.org/home/index.cfm>

GloMEEP (2018), GEF-UNDP-IMO GloMEEP Project and IAPH, 2018: Port Emissions Toolkit, Guide No.1, Assessment of port emissions.

Halcrow (1991). Tees Estuary Dredging Review. Report for Tees and Hartlepool Port Authority.

Hammond, P.S. and Grellier, K. (2006). Grey seal diet composition and prey consumption in the North Sea. Final report to Department for Environment Food and Rural Affairs on project MF0319.

Hammond P.S., Macleod K., Berggren P., Borchers D.L., Burt L., Cañadas A., Desportes G., Donovan G.P., Gilles A., Gillespie D., Gordon J., Hiby L., Kuklik I., Leaper R., Lehnert K, Leopold M., Lovell P., Øien N., Paxton C.G.M., Ridoux V., Rogano E., Samarraa F., Scheidatg M., Sequeirap M., Siebertg U., Skovq H., Swifta R., Tasker M.L., Teilmann J., Canneyt O.V. and Vázquez J.A. (2013). Cetacean abundance and distribution in European Atlantic shelf waters to inform conservation and management. *Biological Conservation* 164, 107-122.

Hammond, P.S., Lacey, C., Gilles, A., Viquerat, S., Boerjesson, P., Herr, H., Macleod, K., Ridoux, V., Santos, M., Scheidat, M. and Teilmann, J. (2017). Estimates of cetacean abundance in European Atlantic waters in summer 2016 from the SCANS-III aerial and shipboard surveys. Wageningen Marine Research. Heinänen, S. and Skov, H. (2015). The identification of discrete and persistent areas of relatively high harbour porpoise density in the wider UK marine area, JNCC Report No.544 JNCC, Peterborough.

Her Majesty's Stationary Office (HMSO) (1995). The Environment Act 1995 (c.25). London: TSO.

Her Majesty's Stationary Office (HMSO) (2000). Statutory Instrument 2000 No. 928 The Air Quality (England) Regulations 2000. London: HMSO.

Her Majesty's Stationary Office (HMSO) (2002). Statutory Instrument 2002 No. 3043 The Air Quality (England) (Amendment) Regulations 2002. London: HMSO.

Her Majesty's Stationary Office (HMSO) (2016). The Air Quality Standards (Amendment) Regulations 2016. London: HMSO.

Historic England (2017). The Setting of Heritage Assets (2nd Edition). Historic Environment Good Practice Advice in Planning: 3. Available at: <https://historicengland.org.uk/images-books/publications/gpa3-setting-of-heritage-assets>

Holmes, N, Ward, D, Jose, P (1994). The New Rivers and Wildlife Handbook. Published by Royal Society for the Protection of Birds. ISBN 10: 0903138700/ISBN 13: 9780903138703

HM Government (2011). UK Marine Policy Statement. HM Government, Northern Ireland Executive, Scottish Government and Welsh Assembly Government. London: The Stationery Office. Available from: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/69322/pb3654-marine-policy-statement-110316.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/69322/pb3654-marine-policy-statement-110316.pdf)

Homes and Communities Agency (HCA) (2014); Additionality Guide, Fourth Edition. Available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/378177/additionality\\_guide\\_2014\\_full.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/378177/additionality_guide_2014_full.pdf) [Accessed: 25/09/2020].

HR Wallingford (1989a). Tees Barrage. Effect of the barrage on marine mud siltation. EX 1975.

HR Wallingford (1989a). Tees Weir Feasibility Study - Correlation between waves, tides and suspended mud concentrations in Tees Bay. EX 1938

HR Wallingford (1992). Tees and Hartlepool Port Authority. Review of Dredging. EX 2580.

HR Wallingford (2002). Teesmouth Sediment Study. EX 4514.

HR Wallingford (2006). Northern Gateway Container Terminal. Hydrodynamic and sedimentation studies.

IAMMWG (2015). Management Units for cetaceans in UK waters (January 2015). JNCC Report No. 547, JNCC Peterborough.

IAQM and Environmental Protection UK (EPUK) (2017). Land-use Planning & Development Control: Planning for Air Quality. v1.2.

ICE Database (2019), University of Bath Inventory of Carbon and Energy (ICE) Version 3.0

ILE (2011) Guidance Notes for the Reduction of Obtrusive Light. Available at:  
<https://www.theilp.org.uk/documents/obtrusive-light/>

INCA (2014). Bird use of the Vopak Foreshore. Survey Report to York Potash, April 2014.

INCA (2019). Tees Seals Research Programme: Monitoring Report No.29. Available from:  
<http://www.inca.uk.com/wp-content/uploads/2020/01/Teesmouth-Seals-Report-2019-final.pdf>

INCA (2020). South Bank Wharf 2020 Tern Surveys: Report ID INCA 202021. Report to RHDHV, September 2020.

Institute of Air Quality Management (IAQM) (2016). Guidance on the Assessment of Dust from Demolition and Construction. Version 1.1.

Institute for Environmental Management and Assessment (IEMA) 2017– Environmental Impact Assessment Guide to Assessing Greenhouse Gas Emissions and Evaluating their Significance

John, S.A., Challinor, S.L., Simpson, M., Burt, T.N. and Spearman, J. (2000). Scoping the assessment of sediment plumes arising from dredging. Construction Industry Research and Information Association (CIRIA) Report C547.

Jones, D. and Marten, K. (2016). Dredging sound levels, numerical modelling and EIA. Maritime Solutions for a Changing World, p.21.

JNCC (2003) Herpetofauna Worker's Manual

JNCC (2019). Article 17 Habitats Directive Report 2019: Species Conservation Status Assessments 2019. Available from <https://jncc.gov.uk/our-work/article-17-habitats-directive-report-2019-species/>

JNCC, Natural England and CCW (2010). Draft EPS Guidance - The protection of marine European Protected Species from injury and disturbance. Guidance for the marine area in England and Wales and the UK offshore marine area. Joint Nature Conservation Committee, Natural England and Countryside Council for Wales. October 2010.

Kastelein, R.A., Hardemann, J. and Boer, H. (1997). Food consumption and body weight of harbour porpoises (*Phocoena phocoena*). In The biology of the harbour porpoise Read, A.J., Wiepkema, P.R., Nachtigall, P.E (1997). Eds. Woerden, The Netherlands:De Spil Publishers. pp. 217–234

Kastelein, R.A., Van de Voorde, S. and Jennings, N. (2018). Swimming Speed of a Harbour Porpoise (*Phocoena phocoena*) During Playbacks of Offshore Pile Driving Sounds. *Aquatic Mammals*: 44(1):92-99.

Laist, D.W., Knowlton, A.R., Mead, J.G., Collet, A.S. and Podesta, M. (2001). Collisions between ships and whale'. *Marine Mammal Science* 17 (1) 30-75.

Lewis, R.E., Riddle, A.M. and Lewis, J.O. (1998). Effect of a tidal barrage on currents and density structure in the Tees Estuary. In Donkers and Scheffers (eds) *Physics of Estuaries and Coastal Seas*, Balkema, Rotterdam.

Macleod, K., Burt, M.L., Cañadas, A., Rogan, E., Santos, B., Uriarte, A., Van Canneyt, O., Vázquez, J. A. and Hammond, P. S. (2009). Design-based estimates of cetacean abundance in offshore European Atlantic waters. Appendix I in the Final Report of the Cetacean Offshore Distribution and Abundance in the European Atlantic. 16pp.

Marine Management Organisation (MMO) (2020). UK Sea Fisheries Statistics 2019. Available at URL: <https://www.gov.uk/government/statistics/uk-sea-fisheries-annual-statistics-report-2019>.

McConnell, B.J., Chambers, C., Nicholas, K.S. and Fedak, M.A. (1992). Satellite tracking of grey seals (*Halichoerus grypus*). *Journal of Zoology*, 226(2), pp.271-282.

Ministry of Housing Communities and Local Government (MHCLG) (2019a). National Planning Policy Framework.

Ministry of Housing Communities and Local Government (MHCLG) (2019b). Planning practice guidance categories: Air Quality.

Ministry of Housing, Communities and Local Government (MHCLG) (2019a). National Planning Policy Framework. Available at: <https://www.gov.uk/government/publications/national-planning-policy-framework-2> [Accessed: 03/08/2020].

Ministry of Housing, Communities and Local Government (MHCLG) (2019b) English Indices of Deprivation 2019. Available at: <https://www.gov.uk/government/statistics/english-indices-of-deprivation-2019> [Accessed: 24/09/2020].

MMO, 2020. North East Inshore and North East Offshore Marine Plan. Draft for Consultation. January 2020.

Nathaniel Lichfield & Partners (NLP) (2016) Redcar & Cleveland Borough Council Employment Land Review. Available at: <https://wca.redclev.net/resident/planning-and-building/local-plan/Pages/Employment-Land-Review.aspx> [Accessed: 24/09/2020].

Natural England (2014) Otters: surveys and mitigation for development projects. Natural England Standing Advice

Natural England (2015) Badgers: surveys and mitigation for development projects. Natural England Standing Advice

Natural England (2015) Bats: surveys and mitigation for development projects. Natural England Standing Advice

Natural England (2015) Great crested newts: surveys and mitigation for development projects. Natural England Standing Advice

Natural England (2015) Standing advice on protected species (bats (all species), great crested newts *Triturus cristatus*, badgers *Meles*, water voles *Arvicola amphibius*, otters *Lutra*, reptiles, protected plants, invertebrates, white-clawed crayfish *Austropotamobius pallipes*, ancient woodlands and veteran trees);

Natural England (2015). Invertebrates: surveys and mitigation for development projects. Natural England Standing Advice

Natural England, (2015). Reptiles: surveys and mitigation for development projects. Natural England Standing Advice

Natural England, (2015). Water voles: surveys and mitigation for development projects. Natural England Standing Advice

Natural England (2018a). Departmental Brief: Teesmouth and Cleveland Coast potential Special Protection Area (pSPA) and Ramsar. Report to Defra, March 2018. Available at URL: [https://consult.defra.gov.uk/natural-england-marine/teesmouth-and-cleveland-coast-potential-sp/supporting\\_documents/teesmouth%20and%20Cleveland%20Coast%20pSPA%20Departmental%20Brief.pdf](https://consult.defra.gov.uk/natural-england-marine/teesmouth-and-cleveland-coast-potential-sp/supporting_documents/teesmouth%20and%20Cleveland%20Coast%20pSPA%20Departmental%20Brief.pdf).

Natural England (2018b). Teesmouth and Cleveland Coast SSSI. Notification document. Available at URL: [https://consult.defra.gov.uk/natural-england-marine/teesmouth-and-cleveland-coast-potential-sp/supporting\\_documents/1.%20teesmouth%20and%20Cleveland%20Coast%20SSSI%20%20Citation%2018%20April%202019.pdf](https://consult.defra.gov.uk/natural-england-marine/teesmouth-and-cleveland-coast-potential-sp/supporting_documents/1.%20teesmouth%20and%20Cleveland%20Coast%20SSSI%20%20Citation%2018%20April%202019.pdf).

Naylor, LA., Kippen, H, Coombes, MA., et al. (2017). Greening the Grey: a framework for integrated green grey infrastructure (IGGI). University of Glasgow report. URL: <http://eprints.gla.ac.uk/150672/>

NMFS (National Marine Fisheries Service). (2018). 2018 Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commer., NOAA. NOAA Technical Memorandum NMFS-OPR-59, 167 p.

Office for National Statistics (2016). Travel to work area analysis in Great Britain: 2016. Available at: <https://www.ons.gov.uk/employmentandlabourmarket/peopleinwork/employmentandemployeetypes/articles/traveltoworkareanalysisingreatbritain/2016#:~:text=The%20current%20criteria%20for%20defining,population%20of%20at%20least%203%2C500> [Accessed: 24/09/2020].

Office for National Statistics (2018a). Job Density. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?collapse=yes> [Accessed: 24/09/2020].

Office for National Statistics (2018b). Business Register and Employment Survey. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?theme=27> [Accessed: 24/09/2020].

Office for National Statistics (2019a). Population estimates - local authority based by single year of age. Available at: <https://www.nomisweb.co.uk/query/asv2htm> [Accessed: 24/09/2020].



Office for National Statistics (2019b). UK Business Counts - enterprises by industry and employment size band. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?theme=49> [Accessed: 24/09/2020].

Office for National Statistics (2019c). Annual Population Survey, January – December 2019. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?theme=28> [Accessed: 24/09/2020].

Office for National Statistics (2019d). Annual Survey of Hours and Earnings. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?collapse=yes> [Accessed: 24/09/2020].

Office for National Statistics (2019e) Regional gross value added (balanced) by industry: local authorities by NUTS1 region: UKC North East. Available at: <https://www.ons.gov.uk/economy/grossvalueaddedgva/datasets/regionalgrossvalueaddedbalancedlocalauthoritiesbynuts1region> [Accessed: 25/09/2020].

Office for National Statistics (2019f). Input–output supply and use tables. Available at: <https://www.ons.gov.uk/economy/nationalaccounts/supplyandusetables/datasets/inputoutputsupplyandusetables> [Accessed: 25/09/2020].

Office for National Statistics (2020a). Claimant count by sex and age August 2020. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?theme=72> [Accessed: 24/09/2020].

Office for National Statistics (2020b) Subnational population projections for England: 2018-based. Available at: <https://www.nomisweb.co.uk/query/select/getdatasetbytheme.asp?theme=32> [Accessed: 24/09/2020].

Office for National Statistics (2020c) Jobseeker's Allowance by occupation, age and duration, August 2020. Available at: <https://www.nomisweb.co.uk/query/construct/summary.asp?mode=construct&version=0&dataset=65> [Accessed: 25/09/2020].

Otani, S., Naito, T., Kato, A. and Kawamura, A. (2000). Diving behaviour and swimming speed of a free-ranging harbour porpoise (*Phocoena phocoena*). *Marine Mammal Science*, Volume 16, Issue 4, pp 811-814, October 2000.

Ove, Arup and Partners Ltd (2020) Environmental Statement Section 12 Water Quality and River Impacts (found at <https://www.newtynecrossing.info/sites/default/files/Section2012.pdf>)  
Partrac (2020). South Tees Vessel Mounted Acoustic Doppler Current Profiler (VMADCP) and Water Sampling Campaign. August 2020.

Paterson, W., Russell, D. J. F, Wu, M., McConnell, B. J. and Thompson, D. (2015). Harbour seal haul-out monitoring, Sound of Islay. Scottish Natural Heritage Commissioned Report No. 894.

Paxton, C.G.M., Scott-Hayward, L., Mackenzie, M., Rexstad, E. and Thomas, L. (2016). Revised Phase III Data Analysis of Joint Cetacean Protocol Data Resources with Advisory Note, JNCC Report 517, ISSN 0963-8091: <http://jncc.defra.gov.uk/page-7201>

PD Teesport. (2018). South Bank Quay EIA Report. Doc number I&BPB6595R003F0.1 Appendix 8: Underwater noise baseline survey report and underwater noise modelling report. Application: MLA/2018/00555.

Pirotta, E., Laesser, B. E., Hardaker, A., Riddoch, N., Marcoux, M., and Lusseau, D. (2013). Dredging displaces bottlenose dolphins from an urbanised foraging patch. *Marine Pollution Bulletin*, 74: 396–402.

Polacheck, T and Thorpe, L. (1990). The swimming direction of harbour porpoise in relation to a survey vessel. *Report of the International Whaling Commission*, 40: 463-470.

Popper A.N., Hawkins A.D., Fay R.R., Mann D.A., Bartol S., Carlson T.J., Coombs S., Ellison W.T., Gentry M.B., Løkkeborg S., Rogers P.H., Southall B.L., Zeddies D.G. and Tavalga W.N. (2014). Sound exposure guidelines for fishes and sea turtles. *Springer Briefs in Oceanography*. DOI 10. 1007/978-3-319-06659-2.

Popper A.N. and Hawkins A.D. (2019). An overview of fish bioacoustics and the impacts of anthropogenic sounds on fishes. *Journal of Fish Biology*, 2019, pp.1–22. <https://doi.org/10.1111/jfb.13948>.

Prospect Archaeology (2020) South Industrial Zone Environmental Statement Volume 3 - Technical Appendices Appendix M1: South Bank, Redcar Desk- Based Heritage Assessment

Pye, K., van der Wal, D. (2000a). Historical Trend Analysis (HTA) as a tool for long-term morphological prediction in estuaries. EMPHASYS Consortium, Estuaries Research Programme Phase I, MAFF Contract CSA 4938, Modelling Estuary Morphology and Process, Final Report, Report, TR111, pp. 89–96.

Pye, K., van der Wal, D. (2000b). Expert Geomorphological Assessment (EGA) as a tool for long-term morphological prediction in estuaries. EMPHASYS Consortium, Estuaries Research Programme Phase I, MAFF Contract CSA 4938, Modelling Estuary Morphology and Process, Final Report, Report TR111, pp. 97–102.

Redcar & Cleveland Borough Council (RCBC) (2018a) Redcar & Cleveland Local Plan. Available at: <https://www.redcar-cleveland.gov.uk/resident/planning-and-building/strategic%20planning/Documents/Local%20Plan%20Adopted%20May%202018.pdf> [Accessed: 24/09/2020].

Redcar & Cleveland Borough Council (RCBC) (2018b) Redcar & Cleveland South Tees Area Supplementary Planning Document. Available at: <https://www.southteesdc.com/wp-content/uploads/2019/04/South-Tees-Area-SPD-Adopted-May-2018.pdf> [Accessed: 24/09/2020].

Redcar and Cleveland Borough Council (RCBC) (2020) 2020 Air Quality Annual Status Report

Robertson, M.J., Scruton, R.S. and Clarke, K. (2006). Effect of sediment on freshwater fish and fish habitat. *Canadian Technical Report of Fish and Aquatic Sciences*, 2644, 44pp.

Robinson S. P., Theobald P.D., Hayman G., Wang L. S., Lepper P. A., Humphrey V., and Mumford, S. (2011). Measurement of underwater noise arising from marine aggregate dredging operations. *Marine Aggregate Levy Sustainability Fund MEPF report 09/P108*.

Royal Haskoning (2006). Northern Gateway Container Terminal: Environmental Statement. April 2006. Final Report 9R2629.

Royal Haskoning (2007a). Tees Maintenance Dredging Baseline Document. May 2007.

Royal Haskoning (2007b). NGCT Environmental Statement Supplement.

Royal Haskoning (2009). QEII Berth Development: Environmental Statement.

Royal Haskoning (2011). Tees Dock No.1 Quay – Technical Note.

Royal HaskoningDHV (2013). Cell 1 Sediment Transport Study. Phase 1: Scoping Report. Scarborough Borough Council, December 2013.

Royal HaskoningDHV (2015). The York Potash Harbour Facilities: Environmental Statement.

Royal HaskoningDHV (2017a). Tees Maintenance Dredging Annual Review 2016.

Royal HaskoningDHV (2017b). Northern Gateway No. 1 Container Operation - Vessel Navigation Assessment using Numerical Modelling of Current Flows. Internal Note. March 2017. 25pp.

Royal HaskoningDHV (2018). Hartlepool Approach Channel: Environmental Impact Assessment Report. Report for P.D. Teesport, December 2018.

Royal HaskoningDHV (2018). Tees Maintenance Dredging Annual Review 2017.

Royal HaskoningDHV (2019a). Tees Maintenance Dredging Annual Review 2018.

Royal HaskoningDHV (2019b). Tidal Stream Atlas – Tees Bay and River Tees. Report to PD Teesport. November 2019.

Royal HaskoningDHV (2020a). Tees Maintenance Dredging Annual Review 2019.

Royal HaskoningDHV (2020b). Northern Gateway Container Terminal: Environmental Impact Assessment. February 2020.

Royal HaskoningDHV (2020c). Cell 1 Regional Coastal Monitoring Programme Wave & Tide Data Analysis Report 8: 2019-2020. April 2020.

Royal HaskoningDHV (2020d). Tees Study – South Bank Wharf: Numerical Modelling. Report to South Tees Development Corporation. October 2020.

Russell, D.J.F (2016). Movements of grey seal that haul out on the UK coast of the southern North Sea. Report for the Department of Energy and Climate Change (OESEA-14-47).

Russell, D.J.F. and McConnell, B.J. (2014). Seal at-sea distribution, movements and behaviour. Report to DECC. URN: 14D/085. March 2014 (final revision).

Russell, D J F, Jones E L and Morris, C D (2017). Updated Seal Usage Maps: The Estimated at-sea Distribution of Grey and Harbour Seals. Scottish Marine and Freshwater Science Vol 8 No 25, 25pp. DOI: 10.7489/2027-1.

Santos, M.B. and Pierce, G.J. (2003). The diet of harbour porpoise (*Phocoena phocoena*) in the North east Atlantic. *Oceanography and Marine Biology: an Annual Review* 2003, 41, 355–390.

Santos, M.B., Pierce, G.J., Learmonth, J.A., Reid, R.J., Ross, H.M., Patterson, I.A.P., Reid, D.G. and Beare, D. (2004). Variability in the diet of harbor porpoises (*Phocoena phocoena*) in Scottish waters 1992–2003. *Marine Mammal Science*, 20(1), pp.1-27.

SCOS (2019). SCOS Report. Scientific Advice on Matters Related to the Management of Seal Populations: 2019 <http://www.smru.st-andrews.ac.uk/files/2020/08/SCOS-2019.pdf> Sea Watch Foundation (2020). North East England Recent Sightings. Available from: [http://seawatchfoundation.org.uk/legacy\\_tools/region.php?output\\_region=5](http://seawatchfoundation.org.uk/legacy_tools/region.php?output_region=5)

Sharples, R.J., Moss, S.E., Patterson, T.A. and Hammond, P.S. (2012). Spatial Variation in Foraging Behaviour of a Marine Top Predator (*Phoca vitulina*) Determined by a Large-Scale Satellite Tagging Program. *PLoS ONE* 7(5): e37216.

Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene Jr., C.R., Kastak, D., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A., and Tyack, P.L. (2007). Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, 33 (4), pp. 411-509.

Southall, B.L., Finneran, J.J., Reichmuth, C., Nachtigall, P.E., Ketten, D.R., Bowles, A.E., Ellison, W.T., Nowacek, D.P. and Tyack, P.L. (2019). Marine mammal noise exposure criteria: updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45(2), pp.125-232.

South Tees Development Corporation (STDC) (2019) South Tees Regeneration Master Plan. Available at: <https://www.southteesdc.com/wp-content/uploads/2020/01/South-Tees-Master-Plan-Nov-19.2.pdf> [Accessed: 24/09/2020].

Strachan, R., Moorhouse, T., and Gelling, M., (2011). *Water Vole Conservation Handbook*, Third Edition.

Strachan, R. & Jefferies, D.J. (1996). *Otter survey of England 1991-1994*. The Vincent Wildlife Trust, London.

Tees Valley Combined Authority (TVCA) (2016). Tees Valley Strategic Economic Plan: The Industrial Strategy for Tees Valley 2016-2026. Available at: <https://teesvalley-ca.gov.uk/wp-content/uploads/2016/12/TVCA207-SEP-Document-Full-WEB.pdf> [Accessed: 24/09/2020].

Tees Valley Combined Authority (TVCA) (2019) Draft Tees Valley Local Industrial Strategy. Available at: <https://teesvalley-ca.gov.uk/wp-content/uploads/2019/07/10b-Appendix-2-Draft-Tees-Valley-Local-Industrial-Strategy.pdf> [Accessed: 24/09/2020].

Theobald, P.D., Robinson, S.P., Lepper, P.A., Hayman, G., Humphrey, V.F., Wang, L. and Mumford, S.E. (2011). The measurement of underwater noise radiated by dredging vessels during aggregate extraction operations. 4th International Conference and Exhibition on Underwater Acoustic Measurements: Technologies & Results.

Thompson, P.M., McConnell, B.J., Tollit, D.J., Mackay, A., Hunter, C. and Racey, P.A. (1996). Comparative distribution, movements and diet of harbour and grey seals from the Moray Firth, N.E. Scotland. *Journal of Applied Ecology*. 33: 1572-1584.

Thompson, P.M., Hastie G. D., Nedwell, J., Barham, R., Brookes, K., Cordes, L., Bailey, H. and McLean, N. (2012). Framework for assessing the impacts of pile-driving noise from offshore wind farm construction

on the Moray Firth harbour seal population. Seal assessment Framework Technical Summary, 6th June 2012.

Thomsen, F., Lüdemann, K., Kafemann, R. and Piper, W. (2006). Effects of offshore windfarm noise on marine mammals and fish, on behalf of COWRIE Ltd.

Todd, V.L.G., Todd, I.B., Gardiner, J.C., Morrin, E.C.N., MacPherson, N.A., DiMarzio, N.A. and Thomsen, F. (2014). A review of impacts of marine dredging activities on marine mammals. – ICES Journal of Marine Science, doi: 10.1093/icesjms/fsu187.

Tolley, K.A. and Rosel, P.E. (2006). Population structure and historical demography of eastern North Atlantic harbour porpoises inferred through mtDNA sequences. Marine Ecology Progress Series, 327, pp.297-308.

Townend, I. (2005). An Examination of Empirical Stability Relationships for UK Estuaries. Journal of Coastal Research, Vol. 21, No. 5, Sept. 2005, pp. 1042-1053.

UKHO (2020). Admiralty Tides Vol 1 - United Kingdom and Ireland. UK Hydrographic Office, Taunton.  
Wilson, B. Batty, R. S., Daunt, F. and Carter, C. (2007). Collision risks between marine renewable energy devices and mammals, fish and diving birds. Report to the Scottish Executive. Scottish Association for Marine Science, Oban, Scotland, PA37 1QA.

Wilson, S. (2014). The impact of human disturbance at seal haul-outs. A literature review for the Seal Conservation Society. Available at:  
<http://www.pinnipeds.org/attachments/article/199/Disturbance%20for%20SCS%20-%20text.pdf>.

Windsland, K., Lindstrøm, U., Nilssen, K.T. and Haug, T. (2007). 167 Relative abundance and size composition of prey in the common minke whale diet in selected areas of the north-eastern Atlantic during 2000-04. J. Cetacean Res. Manage, 9(3), pp.167-178.

WODA (2013). Technical Guidance on: Underwater Sound in Relation to Dredging. World Organisation of Dredging Associations.

World Business Council for Sustainable Development and the World Resources Institute (2015); Greenhouse Gas Protocol, A Corporate Accounting and Reporting Standard, ISBN 1-56973-568-9.

Woodbury, D., and Stadler, J. (2008). A proposed method to assess physical injury to fishes from underwater sound produced during pile driving. Bioacoustics, 17, pp.289–297.

Wright, M.D. Goodman, P. and Cameron, T.C. (2010). Exploring behavioural responses of shorebirds to impulsive noise. Wildfowl, 60, pp.150-167.

YNU (2010). Whale, dolphin and porpoise records from the Yorkshire & Humber Region 1998 – 2010. Available from:  
<https://www.ynu.org.uk/sites/default/xyzerrt/documents/mammals/YNU%20WEBSITE%20Yorkshire%20Cetaceans%201998-2010.pdf>